

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

宮城県

2018年

罹患数					部位割合					粗罹患率					年齢調整罹患率					世界人口					累積罹患率 (0-74歳)				
部位		ICD-10		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1		
全部位		C00-C96		10,129	7,978	18,107	100.0	100.0	100.0	894.8	673.8	781.8	445.4	355.7	392.2	314.5	266.7	285.5	37.8	29.4	33.3	37.8	29.4	33.3	37.8	29.4	33.3		
口腔・咽頭		C00-C14		273	141	414	2.7	1.8	2.3	24.1	11.9	17.9	13.7	6.2	9.8	10.1	4.7	7.3	1.3	0.5	0.9	1.3	0.5	0.9	1.3	0.5	0.9		
食道		C15		410	106	516	4.0	1.3	2.8	36.2	9.0	22.3	18.5	4.2	10.9	12.8	2.9	7.6	1.7	0.4	1.0	1.7	0.4	1.0	1.7	0.4	1.0		
胃		C16		1,913	900	2,813	18.9	11.3	15.5	169.0	76.0	121.5	81.0	31.1	54.2	55.8	22.0	37.8	7.1	2.6	4.8	7.1	2.6	4.8	7.1	2.6	4.8		
大腸（結腸・直腸）		C18-C20		1,589	1,193	2,782	15.7	15.0	15.4	140.4	100.8	120.1	73.5	43.9	57.9	52.6	31.6	41.7	6.3	3.6	4.9	6.3	3.6	4.9	6.3	3.6	4.9		
結腸		C18		1,001	899	1,900	9.9	11.3	10.5	88.4	75.9	82.0	44.2	31.5	37.4	31.2	22.4	26.5	3.7	2.5	3.1	3.7	2.5	3.1	3.7	2.5	3.1		
直腸		C19-C20		588	294	882	5.8	3.7	4.9	51.9	24.8	38.1	29.3	12.4	20.5	21.5	9.3	15.2	2.6	1.1	1.8	2.6	1.1	1.8	2.6	1.1	1.8		
肝および肝内胆管		C22		418	182	600	4.1	2.3	3.3	36.9	15.4	25.9	18.0	5.7	11.5	12.7	4.1	8.2	1.6	0.4	1.0	1.6	0.4	1.0	1.6	0.4	1.0		
胆のう・胆管		C23-C24		231	185	416	2.3	2.3	2.3	20.4	15.6	18.0	8.2	4.6	6.1	5.2	3.2	4.1	0.5	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4		
膵臓		C25		392	400	792	3.9	5.0	4.4	34.6	33.8	34.2	17.2	12.5	14.8	12.1	8.7	10.3	1.5	1.0	1.2	1.5	1.0	1.2	1.5	1.0	1.2		
喉頭		C32		80	9	89	0.8	0.1	0.5	7.1	0.8	3.8	3.5	0.4	1.9	2.5	0.3	1.4	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2		
肺		C33-C34		1,460	752	2,212	14.4	9.4	12.2	129.0	63.5	95.5	60.0	25.0	41.0	41.1	17.7	28.5	5.0	2.2	3.5	5.0	2.2	3.5	5.0	2.2	3.5		
皮膚		C43-C44		209	190	399	2.1	2.4	2.2	18.5	16.0	17.2	8.1	5.6	6.6	5.4	4.1	4.6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4		
乳房		C50		11	1,822	1,833	0.1	22.8	10.1	1.0	153.9	79.1	0.5	104.4	53.1	0.3	80.2	40.6	0.0	9.0	4.5	0.0	9.0	4.5	0.0	9.0	4.5		
子宮		C53-C55		-	462	462	-	5.8	2.6	-	39.0	-	-	30.1	-	-	23.2	-	-	2.5	-	-	2.5	-	-	2.5	-		
子宮頸部		C53		-	155	155	-	1.9	0.9	-	13.1	-	-	11.3	-	-	8.8	-	-	0.9	-	-	0.9	-	-	0.9	-		
子宮体部		C54		-	302	302	-	3.8	1.7	-	25.5	-	-	18.7	-	-	14.3	-	-	1.6	-	-	1.6	-	-	1.6	-		
卵巣		C56		-	273	273	-	3.4	1.5	-	23.1	-	-	17.9	-	-	14.4	-	-	1.4	-	-	1.4	-	-	1.4	-		
前立腺		C61		1,494	-	1,494	14.7	-	8.3	132.0	-	-	61.0	-	-	41.7	-	-	5.4	-	-	5.4	-	-	5.4	-	-		
膀胱		C67		274	113	387	2.7	1.4	2.1	24.2	9.5	16.7	10.9	2.6	6.4	7.4	1.7	4.3	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5		
腎・尿路（膀胱除く）		C64-C66 C68		351	192	543	3.5	2.4	3.0	31.0	16.2	23.4	16.5	7.6	11.8	11.7	5.5	8.4	1.3	0.6	1.0	1.3	0.6	1.0	1.3	0.6	1.0		
脳・中枢神経系		C70-C72		57	55	112	0.6	0.7	0.6	5.0	4.6	4.8	3.7	2.8	3.2	3.2	2.3	2.7	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.3		
甲状腺		C73		80	220	300	0.8	2.8	1.7	7.1	18.6	13.0	4.6	15.1	9.8	3.6	12.1	7.8	0.4	1.2	0.8	0.4	1.2	0.8	0.4	1.2	0.8		
悪性リンパ腫		C81-C85 C96		325	249	574	3.2	3.1	3.2	28.7	21.0	24.8	15.7	10.5	13.0	11.8	7.8	9.7	1.4	0.9	1.2	1.4	0.9	1.2	1.4	0.9	1.2		
多発性骨髄腫		C88-C90		71	70	141	0.7	0.9	0.8	6.3	5.9	6.1	3.1	2.4	2.7	2.3	1.7	2.0	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2		
白血病		C91-C95		122	101	223	1.2	1.3	1.2	10.8	8.5	9.6	6.8	5.1	5.9	5.5	4.6	5.0	0.6	0.4	0.5	0.6	0.4	0.5	0.6	0.4	0.5		

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

宮城県

2018年

部位	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)		
	部位割合			粗罹患率			年齢調整罹患率			累積罹患率			世界人口		
	日本人口			日本人口			日本人口			日本人口			日本人口		
	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
I0D-10															
全部位	11,169	9,192	20,361	100.0	100.0	100.0	986.7	776.4	879.1	495.5	437.4	457.1	350.6	330.7	334.9
食道	435	114	549	3.9	1.2	2.7	38.4	9.6	23.7	19.5	4.5	11.6	13.5	3.2	8.1
大腸（結腸・直腸）*2	2,158	1,478	3,636	19.3	16.1	17.9	190.6	124.8	157.0	102.3	56.3	78.2	73.5	40.5	56.4
結腸 *2	1,405	1,097	2,502	12.6	11.9	12.3	124.1	92.7	108.0	64.4	40.1	51.5	45.7	28.6	36.7
直腸 *2	753	381	1,134	6.7	4.1	5.6	66.5	32.2	49.0	38.0	16.2	26.7	27.9	11.9	19.6
肺	1,467	765	2,232	13.1	8.3	11.0	129.6	64.6	96.4	60.4	25.6	41.5	41.4	18.1	28.9
皮膚	250	247	497	2.2	2.7	2.4	22.1	20.9	21.5	9.8	7.1	8.2	6.7	5.0	5.7
乳房	11	2,085	2,096	0.1	22.7	10.3	1.0	176.1	90.5	0.5	121.7	61.8	0.3	93.5	47.2
子宮	-	900	900	-	9.8	4.4	-	76.0	-	-	73.3	-	-	58.7	-
子宮頸部	-	593	593	-	6.5	2.9	-	50.1	-	-	54.4	-	-	44.2	-
膀胱	567	183	750	5.1	2.0	3.7	50.1	15.5	32.4	23.6	5.2	13.7	16.4	3.4	9.5

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,129	5	4	4	13	9	17	25	47	88	158	275	518	986	1,730	1,824	1,716	1,431	922	307	48	2	0
	口腔・咽頭	C00-C14	273	0	0	0	0	2	0	2	4	4	12	13	21	31	53	49	29	29	18	6	0	0	0
	食道	C15	410	0	0	0	0	0	0	0	0	1	3	10	31	48	67	91	80	55	19	5	0	0	0
	胃	C16	1,913	0	0	0	0	0	0	0	5	10	15	32	94	187	344	381	333	297	171	38	5	1	0
	大腸（結腸・直腸）	C18-C20	1,589	0	0	0	0	2	4	2	10	18	37	74	97	172	303	239	262	194	111	60	4	0	0
	結腸	C18	1,001	0	0	0	0	1	3	1	6	8	21	39	46	94	175	164	170	141	82	46	4	0	0
	直腸	C19-C20	588	0	0	0	0	1	1	1	4	10	16	35	51	78	128	75	92	53	29	14	0	0	0
	肝および肝内胆管	C22	418	1	0	0	0	0	0	1	2	2	3	8	22	44	75	78	64	68	37	8	5	0	0
	胆のう・胆管	C23-C24	231	0	0	0	0	0	0	0	0	1	1	1	6	8	27	32	45	52	38	15	5	0	0
	膵臓	C25	392	0	0	0	0	0	0	1	1	7	6	14	20	33	70	71	62	53	38	15	1	0	0
	喉頭	C32	80	0	0	0	0	0	0	0	0	0	1	1	6	5	24	20	8	8	6	1	0	0	0
	肺	C33-C34	1,460	0	0	0	0	0	0	1	3	5	23	29	47	130	225	285	264	227	152	58	11	0	0
	皮膚	C43-C44	209	0	0	0	1	0	0	2	1	2	5	8	6	7	9	21	48	32	42	23	2	0	0
	乳房	C50	11	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	4	1	1	0	0	0	0
	前立腺	C61	1,494	0	0	0	0	0	0	0	0	0	1	19	53	146	279	315	283	215	143	33	7	0	0
	膀胱	C67	274	0	0	0	0	0	0	0	0	1	3	7	14	21	31	42	50	48	37	14	5	1	0
	腎・尿管（膀胱除く）	C64-C66 C68	351	0	0	0	0	0	0	1	2	7	14	16	20	40	53	48	59	56	28	6	1	0	0
	脳・中枢神経系	C70-C72	57	0	2	2	1	1	0	2	7	1	3	0	4	6	3	4	6	4	10	1	0	0	0
	甲状腺	C73	80	0	0	0	1	0	1	1	3	3	5	5	9	12	10	8	6	7	7	2	0	0	0
	悪性リンパ腫	C81-C85 C96	325	0	1	1	1	1	0	1	0	6	8	11	24	51	55	56	42	30	28	8	1	0	0
	多発性骨髄腫	C88-C90	71	1	0	0	0	0	0	0	0	2	1	1	5	1	15	14	12	9	8	2	0	0	0
	白血病	C91-C95	122	1	1	0	4	0	0	3	1	6	4	3	15	8	22	16	14	15	8	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	C00-C96	7,978	3	4	6	13	9	40	75	135	283	367	436	530	728	990	921	950	1,030	814	473	145	26	0	
	口腔・咽頭	C00-C14	141	0	0	0	2	0	2	2	4	4	4	7	5	15	8	18	18	23	18	10	1	0	0	
	食道	C15	106	0	0	0	0	0	0	0	1	1	3	3	6	10	19	13	19	20	6	5	0	0	0	
	胃	C16	900	0	0	0	0	0	1	4	5	10	21	16	34	73	115	124	136	160	128	55	16	2	0	
	大腸（結腸・直腸）	C18-C20	1,193	0	0	0	0	0	3	5	7	17	29	46	67	99	152	137	165	183	158	99	23	3	0	
	結腸	C18	899	0	0	0	0	0	1	4	4	9	18	35	50	59	116	100	124	153	127	81	17	1	0	
	直腸	C19-C20	294	0	0	0	0	0	2	1	3	8	11	11	17	40	36	37	41	30	31	18	6	2	0	
	肝および肝内胆管	C22	182	0	1	0	0	0	0	0	1	2	3	3	5	18	15	16	27	36	28	20	5	2	0	
	C23-C24		185	0	0	0	0	0	0	0	0	0	2	1	4	13	15	17	22	28	36	31	15	1	0	
	胆のう・胆管	C25	400	0	0	1	1	0	0	1	1	4	4	8	11	23	39	57	67	72	66	36	8	1	0	
	膵臓		9	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	0	0	1	0	0	0	0	
	喉頭	C32	752	0	0	0	0	0	0	0	3	2	2	17	14	30	54	105	114	100	120	96	66	23	6	0
	肺	C33-C34	190	0	0	0	1	0	1	3	2	3	2	1	7	15	8	11	23	28	31	30	23	1	0	0
	皮膚	C43-C44	1,822	0	0	0	0	0	0	4	11	51	130	175	176	152	231	285	185	172	129	78	32	10	1	0
	乳房	C50	462	0	0	0	0	0	0	3	14	18	42	36	61	74	47	45	39	30	25	18	9	1	0	0
	C53-C55		155	0	0	0	0	0	0	1	12	11	19	19	20	17	9	12	11	10	2	6	5	1	0	0
	子宮頸部	C53	302	0	0	0	0	0	0	2	2	6	23	17	41	57	38	33	27	19	22	11	4	0	0	0
	子宮体部	C54	273	0	0	2	2	2	3	6	9	11	19	27	34	26	29	20	21	28	13	15	8	0	0	0
	卵巢	C56	113	0	0	0	0	0	0	0	0	0	1	0	2	1	1	8	11	14	27	28	10	8	2	0
	膀胱	C67	192	1	0	0	0	0	0	0	0	2	7	5	6	10	11	29	26	31	37	17	8	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	55	0	0	1	0	0	0	1	0	2	3	3	1	6	7	7	6	4	6	3	5	0	0	0
	脳・中枢神経系	C70-C72	220	0	0	0	1	2	11	14	11	19	15	20	27	13	24	23	22	14	16	7	3	1	1	0
	甲状腺	C73	249	0	1	0	2	0	1	1	4	5	2	6	23	24	30	38	40	36	23	10	1	2	0	0
	悪性リンパ腫	C81-C85 C96	70	0	0	0	0	0	0	0	0	0	2	1	0	5	3	12	10	10	13	9	5	0	0	0
	多発性骨髄腫	C88-C90	101	1	2	2	2	2	2	3	0	3	1	3	2	6	9	8	11	6	21	12	7	0	0	0
	白血病	C91-C95																								

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	18,107	8	8	10	26	18	57	100	182	371	525	711	1,048	1,714	2,720	2,745	2,666	2,461	1,736	780	193	28	0
	口腔・咽頭	C00-C14	414	0	0	0	2	2	2	4	8	8	16	20	26	46	61	67	47	52	36	16	1	0	0
	食道	C15	516	0	0	0	0	0	0	0	1	2	6	13	37	58	86	104	99	75	25	10	0	0	0
	胃	C16	2,813	0	0	0	0	0	1	4	10	20	36	48	128	260	459	505	469	457	299	93	21	3	0
	大腸（結腸・直腸）	C18-C20	2,782	0	0	0	0	2	7	7	17	35	66	120	164	271	455	376	427	377	269	159	27	3	0
	結腸	C18	1,900	0	0	0	0	1	4	5	10	17	39	74	96	153	291	264	294	294	209	127	21	1	0
	直腸	C19-C20	882	0	0	0	0	1	3	2	7	18	27	46	68	118	164	112	133	83	60	32	6	2	0
	肝および肝内胆管	C22	600	1	1	0	0	0	0	1	3	4	6	11	27	62	90	94	91	104	65	28	10	2	0
	胆のう・胆管	C23-C24	416	0	0	0	0	0	0	0	0	1	3	2	10	21	42	49	67	80	74	46	20	1	0
	膵臓	C25	792	0	0	1	1	0	0	2	2	11	10	22	31	56	109	128	129	125	104	51	9	1	0
	喉頭	C32	89	0	0	0	0	0	0	0	0	0	1	1	8	7	26	22	8	8	7	1	0	0	0
	肺	C33-C34	2,212	0	0	0	0	0	0	4	5	7	40	43	77	184	330	399	364	347	248	124	34	6	0
	皮膚	C43-C44	399	0	0	0	2	0	1	5	3	5	7	9	13	22	17	32	71	60	73	53	25	1	0
	乳房	C50	1,833	0	0	0	0	0	4	11	52	130	175	176	152	232	287	185	176	130	79	33	10	1	0
	子宮	C53-C55	462	0	0	0	0	0	3	14	18	42	36	61	74	47	45	39	30	25	18	9	1	0	0
	子宮頸部	C53	155	0	0	0	0	0	1	12	11	19	19	20	17	9	12	11	10	2	6	5	1	0	0
	子宮体部	C54	302	0	0	0	0	0	2	2	6	23	17	41	57	38	33	27	19	22	11	4	0	0	0
	卵巣	C56	273	0	0	2	2	3	6	9	11	19	27	34	26	29	20	21	28	13	15	8	0	0	0
	前立腺	C61	1,494	0	0	0	0	0	0	0	0	0	1	19	53	146	279	315	283	215	143	33	7	0	0
	膀胱	C67	387	0	0	0	0	0	0	0	0	2	3	9	15	22	39	53	64	75	65	24	13	3	0
	腎・尿路（膀胱除く）	C64-C66 C68	543	1	0	0	0	0	0	1	4	14	19	22	30	51	82	74	90	93	45	14	3	0	0
	脳・中枢神経系	C70-C72	112	0	2	3	1	1	1	2	9	4	6	1	10	13	10	10	10	10	13	6	0	0	0
	甲状腺	C73	300	0	0	0	2	2	12	15	14	22	20	25	36	25	33	30	20	23	14	5	1	1	0
	悪性リンパ腫	C81-C85 C96	574	0	2	1	3	1	1	2	4	11	10	17	47	75	85	94	82	66	51	18	2	2	0
	多発性骨髄腫	C88-C90	141	1	0	0	0	0	0	0	0	4	2	1	10	4	27	24	22	22	17	7	0	0	0
	白血病	C91-C95	223	2	3	2	6	2	3	3	4	7	7	5	21	17	30	27	20	36	20	8	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

性別	部位	100-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	11,169	5	4	4	15	10	19	26	57	99	187	328	590	1,108	1,924	1,999	1,876	1,563	984	317	52	2	0	
	食道	C15 D001	435	0	0	0	0	0	0	0	0	1	4	10	31	50	72	96	87	59	20	5	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,158	0	0	0	0	2	5	3	17	27	54	109	150	240	416	330	347	257	134	62	5	0	0	
	結腸 *2	C18 D010	1,405	0	0	0	0	1	3	2	8	13	32	67	85	137	261	224	234	186	100	48	4	0	0	
	直腸 *2	C19-C20 D011-D012	753	0	0	0	0	1	2	1	9	14	22	42	65	103	155	106	113	71	34	14	1	0	0	
	肺	C33-C34 D021-D022	1,467	0	0	0	0	0	0	1	3	5	23	30	47	131	229	285	265	227	152	58	11	0	0	
	皮膚	C43-C44 D030-D049	250	0	0	0	1	1	0	2	2	2	6	10	7	9	14	28	51	40	47	27	3	0	0	
	乳房	C50 D05	11	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	4	1	1	1	0	0	0	
	膀胱	C67 D090	567	0	0	0	1	0	1	0	0	2	8	15	25	56	76	101	98	92	68	17	6	1	0	
女	全部位	C00-C96 D00-D09	9,192	3	4	6	13	16	78	173	236	406	469	498	609	819	1,093	1,042	1,076	1,118	864	490	153	26	0	
	食道	C15 D001	114	0	0	0	0	0	0	0	1	1	3	4	6	13	19	13	21	21	7	5	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,478	0	0	0	0	0	3	5	13	24	42	52	87	132	186	182	216	228	180	102	23	3	0	
	結腸 *2	C18 D010	1,097	0	0	0	0	0	1	4	6	13	30	38	62	83	141	139	161	178	140	83	17	1	0	
	直腸 *2	C19-C20 D011-D012	381	0	0	0	0	0	2	1	7	11	12	14	25	49	45	43	55	50	40	19	6	2	0	
	肺	C33-C34 D021-D022	765	0	0	0	0	0	0	3	2	2	17	14	33	57	107	115	103	120	97	66	23	6	0	
	皮膚	C43-C44 D030-D049	247	0	0	0	1	0	1	4	2	3	2	1	8	16	14	17	33	40	37	38	29	1	0	
	乳房	C50 D05	2,085	0	0	0	0	0	4	16	58	159	208	209	179	259	318	214	198	136	83	33	10	1	0	
	子宮	C53-C55 D06	900	0	0	0	0	7	40	101	105	126	90	80	91	56	57	52	38	29	18	9	1	0	0	
子宮頸部	C53 D06	593	0	0	0	0	7	38	99	98	103	73	39	34	18	24	24	18	6	6	5	1	0	0		
膀胱	C67 D090	183	0	0	0	0	0	0	1	0	2	1	3	7	6	15	20	28	40	37	12	9	2	0		
総数 *3 全部位		C00-C96 D00-D09	20,361	8	8	10	28	26	97	199	293	505	656	826	1,199	1,927	3,017	3,041	2,952	2,681	1,848	807	205	28	0	
	食道	C15 D001	549	0	0	0	0	0	0	0	1	2	7	14	37	63	91	109	108	80	27	10	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	3,636	0	0	0	0	2	8	8	30	51	96	161	237	372	602	512	563	485	314	164	28	3	0	
	結腸 *2	C18 D010	2,502	0	0	0	0	1	4	6	14	26	62	105	147	220	402	363	395	364	240	131	21	1	0	
	直腸 *2	C19-C20 D011-D012	1,134	0	0	0	0	1	4	2	16	25	34	56	90	152	200	149	168	121	74	33	7	2	0	
	肺	C33-C34 D021-D022	2,232	0	0	0	0	0	0	4	5	7	40	44	80	188	336	400	368	347	249	124	34	6	0	
	皮膚	C43-C44 D030-D049	497	0	0	0	2	1	1	1	6	4	5	8	11	15	25	28	45	84	80	84	65	32	1	0
	乳房	C50 D05	2,096	0	0	0	0	0	4	16	59	159	208	209	179	260	320	214	202	137	84	34	10	1	0	
	子宮	C53-C55 D06	900	0	0	0	0	7	40	101	105	126	90	80	91	56	57	52	38	29	18	9	1	0	0	
	子宮頸部	C53 D06	593	0	0	0	0	7	38	99	98	103	73	39	34	18	24	24	18	6	6	5	1	0	0	
膀胱	C67 D090	750	0	0	0	1	0	1	1	1	0	4	9	18	32	62	91	121	126	132	105	29	15	3	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男		全部位	C00-C96	894.8	11.4	8.5	8.0	23.2	14.1	27.9	37.9	64.4	106.0	190.4	376.7	709.6	1,280.5	1,943.8	2,763.6	3,300.0	3,689.2	2,711.8	・	・	・	・
		口腔・咽頭	C00-C14	24.1	0.0	0.0	0.0	0.0	3.1	0.0	3.0	5.5	4.8	14.5	17.8	28.8	40.3	59.6	74.2	55.8	74.4	52.9	・	・	・	・
		食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	13.7	42.5	62.3	75.3	137.9	153.8	141.0	55.9	・	・	・	・
		胃	C16	169.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	12.0	18.1	43.8	128.8	242.9	386.5	577.3	640.4	761.5	502.9	・	・	・	・
		大腸（結腸・直腸）	C18-C20	140.4	0.0	0.0	0.0	0.0	3.1	6.6	3.0	13.7	21.7	44.6	101.4	132.9	223.4	340.4	362.1	503.8	497.4	326.5	・	・	・	・
		結腸	C18	88.4	0.0	0.0	0.0	0.0	1.6	4.9	1.5	8.2	9.6	25.3	53.4	63.0	122.1	196.6	248.5	326.9	361.5	241.2	・	・	・	・
		直腸	C19-C20	51.9	0.0	0.0	0.0	0.0	1.6	1.6	1.5	5.5	12.0	19.3	47.9	69.9	101.3	143.8	113.6	176.9	135.9	85.3	・	・	・	・
		肝および肝内胆管	C22	36.9	2.3	0.0	0.0	0.0	0.0	0.0	1.5	2.7	2.4	3.6	11.0	30.1	57.1	84.3	118.2	123.1	174.4	108.8	・	・	・	・
		胆のう・胆管	C23-C24	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.4	8.2	10.4	30.3	48.5	86.5	133.3	111.8	・	・	・	・
		膵臓	C25	34.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	8.4	7.2	19.2	27.4	42.9	78.7	107.6	119.2	135.9	111.8	・	・	・	・
		喉頭	C32	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	8.2	6.5	27.0	30.3	15.4	20.5	17.6	・	・	・	・
		肺	C33-C34	129.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	6.0	27.7	39.7	64.4	168.8	252.8	431.8	507.7	582.1	447.1	・	・	・	・
		皮膚	C43-C44	18.5	0.0	0.0	0.0	1.8	0.0	0.0	3.0	1.4	2.4	6.0	11.0	8.2	9.1	10.1	31.8	92.3	82.1	123.5	・	・	・	・
		乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.3	2.2	0.0	7.7	2.6	2.9	・	・	・	・
		前立腺	C61	132.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	26.0	72.6	189.6	313.5	477.3	544.2	551.3	420.6	・	・	・	・
		膀胱	C67	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	9.6	19.2	27.3	34.8	63.6	96.2	123.1	108.8	・	・	・	・
		腎・尿路（膀胱除く）	C64-C66 C68	31.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	8.4	16.9	21.9	27.4	51.9	59.6	72.7	113.5	143.6	82.4	・	・	・	・
		脳・中枢神経系	C70-C72	5.0	0.0	4.3	4.0	1.8	1.6	0.0	3.0	9.6	1.2	3.6	0.0	5.5	7.8	3.4	6.1	11.5	10.3	29.4	・	・	・	・
		甲状腺	C73	7.1	0.0	0.0	0.0	1.8	0.0	1.6	1.5	4.1	3.6	6.0	6.8	12.3	15.6	11.2	12.1	11.5	17.9	20.6	・	・	・	・
		悪性リンパ腫	C81-C85 C96	28.7	0.0	2.1	2.0	1.8	1.6	0.0	1.5	0.0	7.2	9.6	15.1	32.9	66.2	61.8	84.8	80.8	76.9	82.4	・	・	・	・
		多発性骨髄腫	C88-C90	6.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.4	6.8	1.3	16.9	21.2	23.1	23.1	23.5	・	・	・	・
		白血病	C91-C95	10.8	2.3	2.1	0.0	7.1	0.0	0.0	4.5	1.4	7.2	4.8	4.1	20.5	10.4	24.7	24.2	26.9	38.5	23.5	・	・	・	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	673.8	7.3	8.7	12.5	24.5	15.3	69.0	117.2	187.5	353.8	458.8	614.1	726.0	933.3	1,064.5	1,279.2	1,484.4	1,745.8	1,085.3	・	・	・	・
	口腔・咽頭	C00-C14	11.9	0.0	0.0	0.0	3.8	0.0	3.4	3.1	5.6	5.0	5.0	9.9	6.8	19.2	8.6	25.0	28.1	39.0	24.0	・	・	・	・
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.8	4.2	8.2	12.8	20.4	18.1	29.7	33.9	8.0	・	・	・	・
	胃	C16	76.0	0.0	0.0	0.0	0.0	0.0	1.7	6.3	6.9	12.5	26.3	22.5	46.6	93.6	123.7	172.2	212.5	271.2	170.7	・	・	・	・
	大腸（結腸・直腸）	C18-C20	100.8	0.0	0.0	0.0	0.0	0.0	5.2	7.8	9.7	21.3	36.3	64.8	91.8	126.9	163.4	190.3	257.8	310.2	210.7	・	・	・	・
	結腸	C18	75.9	0.0	0.0	0.0	0.0	0.0	1.7	6.3	5.6	11.3	22.5	49.3	68.5	75.6	124.7	138.9	193.8	259.3	169.3	・	・	・	・
	直腸	C19-C20	24.8	0.0	0.0	0.0	0.0	0.0	3.4	1.6	4.2	10.0	13.8	15.5	23.3	51.3	38.7	51.4	64.1	50.8	41.3	・	・	・	・
	肝および肝内胆管	C22	15.4	0.0	2.2	0.0	0.0	0.0	0.0	0.0	1.4	2.5	3.8	4.2	6.8	23.1	16.1	22.2	42.2	61.0	37.3	・	・	・	・
	胆のう・胆管	C23-C24	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.4	5.5	16.7	16.1	23.6	34.4	47.5	48.0	・	・	・
	膵臓	C25	33.8	0.0	0.0	2.1	1.9	0.0	0.0	1.6	1.4	5.0	5.0	11.3	15.1	29.5	41.9	79.2	104.7	122.0	88.0	・	・	・	・
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.6	2.2	2.8	0.0	0.0	1.3	・	・	・	・
	肺	C33-C34	63.5	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.8	2.5	21.3	19.7	41.1	69.2	112.9	158.3	156.3	203.4	128.0	・	・	・	・
	皮膚	C43-C44	16.0	0.0	0.0	0.0	1.9	0.0	1.7	4.7	2.8	3.8	2.5	1.4	9.6	19.2	8.6	15.3	35.9	47.5	41.3	・	・	・	・
	乳房	C50	153.9	0.0	0.0	0.0	0.0	0.0	6.9	17.2	70.8	162.5	218.8	247.9	208.2	286.2	306.5	256.9	268.8	218.6	104.0	・	・	・	・
	子宮	C53-C55	39.0	0.0	0.0	0.0	0.0	0.0	5.2	21.9	25.0	52.5	45.0	85.9	101.4	60.3	48.4	54.2	46.9	42.4	24.0	・	・	・	・
	子宮頸部	C53	13.1	0.0	0.0	0.0	0.0	0.0	1.7	18.8	15.3	23.8	23.8	28.2	23.3	11.5	12.9	15.3	15.6	3.4	8.0	・	・	・	・
	子宮体部	C54	25.5	0.0	0.0	0.0	0.0	0.0	3.4	3.1	8.3	28.8	21.3	57.7	78.1	48.7	35.5	37.5	29.7	37.3	14.7	・	・	・	・
	卵巣	C56	23.1	0.0	0.0	4.2	3.8	5.1	10.3	14.1	15.3	23.8	33.8	47.9	35.6	37.2	21.5	29.2	43.8	22.0	20.0	・	・	・	・
	膀胱	C67	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.8	1.4	1.3	8.6	15.3	21.9	45.8	37.3	・	・	・	・
	腎・尿路（膀胱除く）	C64-C66 C68	16.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	2.8	8.8	6.3	8.5	13.7	14.1	31.2	36.1	48.4	62.7	22.7	・	・	・	・
	脳・中枢神経系	C70-C72	4.6	0.0	0.0	2.1	0.0	0.0	1.7	0.0	2.8	3.8	3.8	1.4	8.2	9.0	7.5	8.3	6.3	10.2	4.0	・	・	・	・
	甲状腺	C73	18.6	0.0	0.0	0.0	1.9	3.4	19.0	21.9	15.3	23.8	18.8	28.2	37.0	16.7	24.7	30.6	21.9	27.1	9.3	・	・	・	・
	悪性リンパ腫	C81-C85 C96	21.0	0.0	2.2	0.0	3.8	0.0	1.7	1.6	5.6	6.3	2.5	8.5	31.5	30.8	32.3	52.8	62.5	61.0	30.7	・	・	・	・
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.3	0.0	6.8	3.8	12.9	13.9	15.6	22.0	12.0	・	・	・	・
	白血病	C91-C95	8.5	2.4	4.3	4.2	3.8	3.4	5.2	0.0	4.2	1.3	3.8	2.8	8.2	11.5	8.6	15.3	9.4	35.6	16.0	・	・	・	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	781.8	9.4	8.6	10.2	23.9	14.6	47.9	76.9	125.5	227.6	322.1	493.8	717.8	1,105.8	1,494.5	1,989.1	2,298.3	2,511.2	1,592.7	-	-	-	-
	口腔・咽頭	C00-C14	17.9	0.0	0.0	0.0	1.8	1.6	1.7	3.1	5.5	4.9	9.8	13.9	17.8	29.7	33.5	48.6	40.5	53.1	33.0	-	-	-	-
	食道	C15	22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	3.7	9.0	25.3	37.4	47.3	75.4	85.3	76.5	22.9	-	-	-	-
	胃	C16	121.5	0.0	0.0	0.0	0.0	0.0	0.8	3.1	6.9	12.3	22.1	33.3	87.7	167.7	252.2	365.9	404.3	466.3	274.3	-	-	-	-
	大腸（結腸・直腸）	C18-C20	120.1	0.0	0.0	0.0	0.0	1.6	5.9	5.4	11.7	21.5	40.5	83.3	112.3	174.8	250.0	272.5	368.1	384.7	246.8	-	-	-	-
	結腸	C18	82.0	0.0	0.0	0.0	0.0	0.8	3.4	3.8	6.9	10.4	23.9	51.4	65.8	98.7	159.9	191.3	253.4	300.0	191.7	-	-	-	-
	直腸	C19-C20	38.1	0.0	0.0	0.0	0.0	0.8	2.5	1.5	4.8	11.0	16.6	31.9	46.6	76.1	90.1	81.2	114.7	84.7	55.0	-	-	-	-
	肝および肝内胆管	C22	25.9	1.2	1.1	0.0	0.0	0.0	0.0	0.8	2.1	2.5	3.7	7.6	18.5	40.0	49.5	68.1	78.4	106.1	59.6	-	-	-	-
	胆のう・胆管	C23-C24	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	1.4	6.8	13.5	23.1	35.5	57.8	81.6	67.9	-	-	-	-
	膵臓	C25	34.2	0.0	0.0	1.0	0.9	0.0	0.0	1.5	1.4	6.7	6.1	15.3	21.2	36.1	59.9	92.8	111.2	127.6	95.4	-	-	-	-
	喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	5.5	4.5	14.3	15.9	6.9	8.2	6.4	-	-	-	-
	肺	C33-C34	95.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.4	4.3	24.5	29.9	52.7	118.7	181.3	289.1	313.8	354.1	227.5	-	-	-	-
	皮膚	C43-C44	17.2	0.0	0.0	0.0	1.8	0.0	0.8	3.8	2.1	3.1	4.3	6.3	8.9	14.2	9.3	23.2	61.2	61.2	67.0	-	-	-	-
	乳房	C50	79.1	0.0	0.0	0.0	0.0	0.0	3.4	8.5	35.9	79.8	107.4	122.2	104.1	149.7	157.7	134.1	151.7	132.7	72.5	-	-	-	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.8	6.3	10.3	14.2	21.4	38.4	55.2	76.5	59.6	-	-	-	-
	腎・尿路（膀胱除く）	C64-C66 C68	23.4	1.2	0.0	0.0	0.0	0.0	0.0	0.8	2.8	8.6	11.7	15.3	20.5	32.9	45.1	53.6	77.6	94.9	41.3	-	-	-	-
	脳・中枢神経系	C70-C72	4.8	0.0	2.2	3.1	0.9	0.8	0.8	1.5	6.2	2.5	3.7	0.7	6.8	8.4	5.5	7.2	8.6	10.2	11.9	-	-	-	-
	甲状腺	C73	13.0	0.0	0.0	0.0	1.8	1.6	10.1	11.5	9.7	13.5	12.3	17.4	24.7	16.1	18.1	21.7	17.2	23.5	12.8	-	-	-	-
	悪性リンパ腫	C81-C85 C96	24.8	0.0	2.2	1.0	2.8	0.8	0.8	1.5	2.8	6.7	6.1	11.8	32.2	48.4	46.7	68.1	70.7	67.3	46.8	-	-	-	-
	多発性骨髄腫	C88-C90	6.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.2	0.7	6.8	2.6	14.8	17.4	19.0	22.4	15.6	-	-	-	-
	白血病	C91-C95	9.6	2.4	3.2	2.0	5.5	1.6	2.5	2.3	2.8	4.3	4.3	3.5	14.4	11.0	16.5	19.6	17.2	36.7	18.3	-	-	-	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男		全部位	C00-C96 D00-D09	986.7	11.4	8.5	8.0	26.8	15.6	31.1	39.4	78.1	119.3	225.3	449.3	808.2	1,439.0	2,161.8	3,028.8	3,607.7	4,007.7	2,894.1	-	-	-	-
		食道	C15 D001	38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.8	13.7	42.5	64.9	80.9	145.5	167.3	151.3	58.8	-	-	-	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	190.6	0.0	0.0	0.0	0.0	3.1	8.2	4.5	23.3	32.5	65.1	149.3	205.5	311.7	467.4	500.0	667.3	659.0	394.1	-	-	-	-
		結腸 *2	C18 D010	124.1	0.0	0.0	0.0	0.0	1.6	4.9	3.0	11.0	15.7	38.6	91.8	116.4	177.9	293.3	339.4	450.0	476.9	294.1	-	-	-	-
		直腸 *2	C19-C20 D011-D012	66.5	0.0	0.0	0.0	0.0	1.6	3.3	1.5	12.3	16.9	26.5	57.5	89.0	133.8	174.2	160.6	217.3	182.1	100.0	-	-	-	-
		肺	C33-C34 D021-D022	129.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	6.0	27.7	41.1	64.4	170.1	257.3	431.8	509.6	582.1	447.1	-	-	-	-
		皮膚	C43-C44 D030-D049	22.1	0.0	0.0	0.0	1.8	1.6	0.0	3.0	2.7	2.4	7.2	13.7	9.6	11.7	15.7	42.4	98.1	102.6	138.2	-	-	-	-
		乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.3	2.2	0.0	7.7	2.6	2.9	-	-	-	-
		膀胱	C67 D090	50.1	0.0	0.0	0.0	1.8	0.0	1.6	0.0	0.0	2.4	9.6	20.5	34.2	72.7	85.4	153.0	188.5	235.9	200.0	-	-	-	-
		全部位	C00-C96 D00-D09	776.4	7.3	8.7	12.5	24.5	27.1	134.5	270.3	327.8	507.5	586.3	701.4	834.2	1,050.0	1,175.3	1,447.2	1,681.3	1,894.9	1,152.0	-	-	-	-
		食道	C15 D001	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.8	5.6	8.2	16.7	20.4	18.1	32.8	35.6	9.3	-	-	-	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	124.8	0.0	0.0	0.0	0.0	0.0	5.2	7.8	18.1	30.0	52.5	73.2	119.2	169.2	200.0	252.8	337.5	386.4	240.0	-	-	-	-
		結腸 *2	C18 D010	92.7	0.0	0.0	0.0	0.0	0.0	1.7	6.3	8.3	16.3	37.5	53.5	84.9	106.4	151.6	193.1	251.6	301.7	186.7	-	-	-	-
		直腸 *2	C19-C20 D011-D012	32.2	0.0	0.0	0.0	0.0	0.0	3.4	1.6	9.7	13.8	15.0	19.7	34.2	62.8	48.4	59.7	85.9	84.7	53.3	-	-	-	-
		肺	C33-C34 D021-D022	64.6	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.8	2.5	21.3	19.7	45.2	73.1	115.1	159.7	160.9	203.4	129.3	-	-	-	-
女		皮膚	C43-C44 D030-D049	20.9	0.0	0.0	0.0	1.9	0.0	1.7	6.3	2.8	3.8	2.5	1.4	11.0	20.5	15.1	23.6	51.6	67.8	49.3	-	-	-	-
		乳房	C50 D05	176.1	0.0	0.0	0.0	0.0	0.0	6.9	25.0	80.6	198.8	260.0	294.4	245.2	332.1	341.9	297.2	309.4	230.5	110.7	-	-	-	-
		子宮	C53-C55 D06	76.0	0.0	0.0	0.0	0.0	11.9	69.0	157.8	145.8	157.5	112.5	112.7	124.7	71.8	61.3	72.2	59.4	49.2	24.0	-	-	-	-
		子宮頸部	C53 D06	50.1	0.0	0.0	0.0	0.0	11.9	65.5	154.7	136.1	128.8	91.3	54.9	46.6	23.1	25.8	33.3	28.1	10.2	8.0	-	-	-	-
		膀胱	C67 D090	15.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.5	1.3	4.2	9.6	7.7	16.1	27.8	43.8	67.8	49.3	-	-	-	-
		総数 *3 全部位	C00-C96 D00-D09	879.1	9.4	8.6	10.2	25.7	21.1	81.5	153.1	202.1	309.8	402.5	573.6	821.2	1,243.2	1,657.7	2,203.6	2,544.8	2,735.7	1,695.4	-	-	-	-
		食道	C15 D001	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	4.3	9.7	25.3	40.6	50.0	79.0	93.1	81.6	24.8	-	-	-	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	157.0	0.0	0.0	0.0	0.0	1.6	6.7	6.2	20.7	31.3	58.9	111.8	162.3	240.0	330.8	371.0	485.3	494.9	288.1	-	-	-	-
		結腸 *2	C18 D010	108.0	0.0	0.0	0.0	0.0	0.8	3.4	4.6	9.7	16.0	38.0	72.9	100.7	141.9	220.9	263.0	340.5	371.4	220.2	-	-	-	-
		直腸 *2	C19-C20 D011-D012	49.0	0.0	0.0	0.0	0.0	0.8	3.4	1.5	11.0	15.3	20.9	38.9	61.6	98.1	109.9	108.0	144.8	123.5	67.9	-	-	-	-
		肺	C33-C34 D021-D022	96.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.4	4.3	24.5	30.6	54.8	121.3	184.6	289.9	317.2	354.1	228.4	-	-	-	-
		皮膚	C43-C44 D030-D049	21.5	0.0	0.0	0.0	1.8	0.8	0.8	4.6	2.8	3.1	4.9	7.6	10.3	16.1	15.4	32.6	72.4	81.6	77.1	-	-	-	-
		乳房	C50 D05	90.5	0.0	0.0	0.0	0.0	0.0	3.4	12.3	40.7	97.5	127.6	145.1	122.6	167.7	175.8	155.1	174.1	139.8	77.1	-	-	-	-
		子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		膀胱	C67 D090	32.4	0.0	0.0	0.0	0.9	0.0	0.8	0.8	0.0	2.5	5.5	12.5	21.9	40.0	50.0	87.7	108.6	134.7	96.3	-	-	-	-

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男		全部位	C00-C96	894.8	11.4	8.5	8.0	23.2	14.1	27.9	37.9	64.4	106.0	190.4	376.7	709.6	1,280.5	1,943.8	2,763.6	3,300.0	3,669.2	3,761.8	・	
		口腔・咽頭	C00-C14	24.1	0.0	0.0	0.0	0.0	3.1	0.0	3.0	5.5	4.8	14.5	17.8	28.8	40.3	59.6	74.2	55.8	74.4	70.6	・	
		食道	C15	36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	13.7	42.5	62.3	75.3	137.9	153.8	141.0	70.6	・
		胃	C16	169.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	12.0	18.1	43.8	128.8	242.9	386.5	577.3	640.4	761.5	632.4	・
		大腸（結腸・直腸）	C18-C20	140.4	0.0	0.0	0.0	0.0	0.0	3.1	6.6	3.0	13.7	21.7	44.6	101.4	132.9	223.4	340.4	362.1	503.8	497.4	514.7	・
		結腸	C18	88.4	0.0	0.0	0.0	0.0	0.0	1.6	4.9	1.5	8.2	9.6	25.3	53.4	63.0	122.1	196.6	248.5	326.9	361.5	388.2	・
		直腸	C19-C20	51.9	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.5	5.5	12.0	19.3	47.9	69.9	101.3	143.8	113.6	176.9	135.9	126.5	・
		肝および肝内胆管	C22	36.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	2.4	3.6	11.0	30.1	57.1	84.3	118.2	123.1	174.4	147.1	・
		胆のう・胆管	C23-C24	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.4	8.2	10.4	30.3	48.5	86.5	133.3	170.6	・
		膵臓	C25	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	8.4	7.2	19.2	27.4	42.9	78.7	107.6	119.2	135.9	158.8	・
		喉頭	C32	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	8.2	6.5	27.0	30.3	15.4	20.5	20.6	・
		肺	C33-C34	129.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	6.0	27.7	39.7	64.4	168.8	252.8	431.8	507.7	582.1	650.0	・
		皮膚	C43-C44	18.5	0.0	0.0	0.0	0.0	1.8	0.0	0.0	3.0	1.4	2.4	6.0	11.0	8.2	9.1	10.1	31.8	92.3	82.1	197.1	・
		乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.3	2.2	0.0	7.7	2.6	5.9	・
		前立腺	C61	132.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	26.0	72.6	189.6	313.5	477.3	544.2	551.3	538.2	・
		膀胱	C67	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	9.6	19.2	27.3	34.8	63.6	96.2	123.1	167.6	・
		腎・尿路（膀胱除く）	C64-C66 C68	31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	8.4	16.9	21.9	27.4	51.9	59.6	72.7	113.5	143.6	102.9	・
		脳・中枢神経系	C70-C72	5.0	0.0	4.3	4.0	1.8	1.8	1.6	0.0	3.0	9.6	1.2	3.6	0.0	5.5	7.8	3.4	6.1	11.5	10.3	32.4	・
		甲状腺	C73	7.1	0.0	0.0	0.0	0.0	1.8	0.0	1.6	1.5	4.1	3.6	6.0	6.8	12.3	15.6	11.2	12.1	11.5	17.9	26.5	・
		悪性リンパ腫	C81-C85 C96	28.7	0.0	2.1	2.0	1.8	1.8	1.6	0.0	1.5	0.0	7.2	9.6	15.1	32.9	66.2	61.8	84.8	80.8	76.9	108.8	・
		多発性骨髄腫	C88-C90	6.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.4	6.8	1.3	16.9	21.2	23.1	23.1	29.4	・
		白血病	C91-C95	10.8	2.3	2.1	0.0	7.1	0.0	0.0	0.0	4.5	1.4	7.2	4.8	4.1	20.5	10.4	24.7	24.2	26.9	38.5	26.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C96	673.8	7.3	8.7	12.5	24.5	15.3	69.0	117.2	187.5	353.8	458.8	614.1	726.0	933.3	1,064.5	1,279.2	1,484.4	1,745.8	1,944.0	・	
	口腔・咽頭	C00-C14	11.9	0.0	0.0	0.0	3.8	0.0	3.4	3.1	5.6	5.0	5.0	9.9	6.8	19.2	8.6	25.0	28.1	39.0	38.7	・	
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.8	4.2	8.2	12.8	20.4	18.1	29.7	33.9	14.7	・	
	胃	C16	76.0	0.0	0.0	0.0	0.0	0.0	1.7	6.3	6.9	12.5	26.3	22.5	46.6	93.6	123.7	172.2	212.5	271.2	268.0	・	
	大腸（結腸・直腸）	C18-C20	100.8	0.0	0.0	0.0	0.0	0.0	5.2	7.8	9.7	21.3	36.3	64.8	91.8	126.9	163.4	190.3	257.8	310.2	377.3	・	
	結腸	C18	75.9	0.0	0.0	0.0	0.0	0.0	1.7	6.3	5.6	11.3	22.5	49.3	68.5	75.6	124.7	138.9	193.8	259.3	301.3	・	
	直腸	C19-C20	24.8	0.0	0.0	0.0	0.0	0.0	3.4	1.6	4.2	10.0	13.8	15.5	23.3	51.3	38.7	51.4	64.1	50.8	76.0	・	
	肝および肝内胆管	C22	15.4	0.0	2.2	0.0	0.0	0.0	0.0	0.0	1.4	2.5	3.8	4.2	6.8	23.1	16.1	22.2	42.2	61.0	73.3	・	
	胆のう・胆管	C23-C24	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.4	5.5	16.7	16.1	23.6	34.4	47.5	110.7	・	
	膵臓	C25	33.8	0.0	0.0	2.1	1.9	0.0	0.0	1.6	1.4	5.0	5.0	11.3	15.1	29.5	41.9	79.2	104.7	122.0	148.0	・	
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.6	2.2	2.8	0.0	0.0	1.3	・	
	肺	C33-C34	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.8	2.5	21.3	19.7	41.1	69.2	112.9	158.3	156.3	203.4	254.7	・
	皮膚	C43-C44	16.0	0.0	0.0	0.0	1.9	0.0	1.7	4.7	2.8	3.8	2.5	1.4	9.6	19.2	8.6	15.3	35.9	47.5	113.3	・	
	乳房	C50	153.9	0.0	0.0	0.0	0.0	0.0	0.0	6.9	17.2	70.8	162.5	218.8	247.9	208.2	296.2	306.5	256.9	268.8	218.6	161.3	・
	子宮	C53-C55	39.0	0.0	0.0	0.0	0.0	0.0	5.2	21.9	25.0	25.0	52.5	45.0	85.9	101.4	60.3	48.4	54.2	46.9	42.4	37.3	・
	子宮頸部	C53	13.1	0.0	0.0	0.0	0.0	0.0	1.7	18.8	15.3	15.3	23.8	23.8	28.2	23.3	11.5	12.9	15.3	15.6	3.4	16.0	・
	子宮体部	C54	25.5	0.0	0.0	0.0	0.0	0.0	3.4	3.1	8.3	8.3	28.8	21.3	57.7	78.1	48.7	35.5	37.5	29.7	37.3	20.0	・
	卵巣	C56	23.1	0.0	0.0	4.2	3.8	5.1	10.3	14.1	15.3	15.3	23.8	33.8	47.9	35.6	37.2	21.5	29.2	43.8	22.0	30.7	・
	膀胱	C67	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.8	1.4	1.3	8.6	15.3	21.9	45.8	64.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	16.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	8.8	6.3	8.5	13.7	14.1	31.2	36.1	48.4	62.7	36.0	・
	脳・中枢神経系	C70-C72	4.6	0.0	0.0	2.1	0.0	0.0	0.0	1.7	0.0	2.8	3.8	3.8	1.4	8.2	9.0	7.5	8.3	6.3	10.2	10.7	・
	甲状腺	C73	18.6	0.0	0.0	0.0	1.9	3.4	19.0	21.9	15.3	15.3	23.8	18.8	28.2	37.0	16.7	24.7	30.6	21.9	27.1	16.0	・
	悪性リンパ腫	C81-C85 C96	21.0	0.0	2.2	0.0	3.8	0.0	1.7	1.6	5.6	5.6	6.3	2.5	8.5	31.5	30.8	32.3	52.8	62.5	61.0	48.0	・
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.3	0.0	6.8	3.8	12.9	13.9	15.6	22.0	18.7	・
	白血病	C91-C95	8.5	2.4	4.3	4.2	3.8	3.4	5.2	0.0	4.2	4.2	1.3	3.8	2.8	8.2	11.5	8.6	15.3	9.4	35.6	25.3	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	2018年
総数 *2		全部位	C00-C96	781.8	0.0	8.6	10.2	23.9	14.6	47.9	76.9	125.5	227.6	322.1	493.8	717.8	1,105.8	1,494.5	1,989.1	2,298.3	2,511.2	2,511.0	・
		口腔・咽頭	C00-C14	17.9	0.0	0.0	0.0	1.8	1.6	1.7	3.1	5.5	4.9	9.8	13.9	17.8	29.7	33.5	48.6	40.5	53.1	48.6	・
		食道	C15	22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	3.7	9.0	25.3	37.4	47.3	75.4	85.3	76.5	32.1	・
		胃	C16	121.5	0.0	0.0	0.0	0.0	0.0	0.8	3.1	6.9	12.3	22.1	33.3	87.7	167.7	252.2	365.9	404.3	466.3	381.7	・
		大腸（結腸・直腸）	C18-C20	120.1	0.0	0.0	0.0	0.0	1.6	5.9	5.4	11.7	21.5	40.5	83.3	112.3	174.8	250.0	272.5	368.1	384.7	420.2	・
		結腸	C18	82.0	0.0	0.0	0.0	0.0	0.8	3.4	3.8	6.9	10.4	23.9	51.4	65.8	98.7	159.9	191.3	253.4	300.0	328.4	・
		直腸	C19-C20	38.1	0.0	0.0	0.0	0.0	0.8	2.5	1.5	4.8	11.0	16.6	31.9	46.6	76.1	90.1	81.2	114.7	84.7	91.7	・
		肝および肝内胆管	C22	25.9	1.2	1.1	0.0	0.0	0.0	0.0	0.8	2.1	2.5	3.7	7.6	18.5	40.0	49.5	68.1	78.4	106.1	96.3	・
		胆のう・胆管	C23-C24	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	1.4	6.8	13.5	23.1	35.5	57.8	81.6	129.4	・
		膵臓	C25	34.2	0.0	0.0	1.0	0.9	0.0	0.0	1.5	1.4	6.7	6.1	15.3	21.2	36.1	59.9	92.8	111.2	127.6	151.4	・
		喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	5.5	4.5	14.3	15.9	6.9	8.2	7.3	・
		肺	C33-C34	95.5	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.4	4.3	24.5	29.9	52.7	118.7	181.3	289.1	313.8	354.1	378.0	・
		皮膚	C43-C44	17.2	0.0	0.0	0.0	1.8	0.0	0.8	3.8	2.1	3.1	4.3	6.3	8.9	14.2	9.3	23.2	61.2	61.2	139.4	・
		乳房	C50	79.1	0.0	0.0	0.0	0.0	0.0	3.4	8.5	35.9	79.8	107.4	122.2	104.1	149.7	157.7	134.1	151.7	132.7	112.8	・
		子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		膀胱	C67	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.8	6.3	10.3	14.2	21.4	38.4	55.2	76.5	96.3	・
		腎・尿路（膀胱除く）	C64-C66 C68	23.4	1.2	0.0	0.0	0.0	0.0	0.0	0.8	2.8	8.6	11.7	15.3	20.5	32.9	45.1	53.6	77.6	94.9	56.9	・
		脳・中枢神経系	C70-C72	4.8	0.0	2.2	3.1	0.9	0.8	0.8	1.5	6.2	2.5	3.7	0.7	6.8	8.4	5.5	7.2	8.6	10.2	17.4	・
		甲状腺	C73	13.0	0.0	0.0	0.0	1.8	1.6	10.1	11.5	9.7	13.5	12.3	17.4	24.7	16.1	18.1	21.7	17.2	23.5	19.3	・
		悪性リンパ腫	C81-C85 C96	24.8	0.0	2.2	1.0	2.8	0.8	0.8	1.5	2.8	6.7	6.1	11.8	32.2	48.4	46.7	68.1	70.7	67.3	67.0	・
		多発性骨髄腫	C88-C90	6.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.2	0.7	6.8	2.6	14.8	17.4	19.0	22.4	22.0	・
		白血病	C91-C95	9.6	2.4	3.2	2.0	5.5	1.6	2.5	2.3	2.8	4.3	4.3	3.5	14.4	11.0	16.5	19.6	17.2	36.7	25.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09		986.7	11.4	8.5	8.0	26.8	15.6	31.1	39.4	78.1	119.3	225.3	449.3	808.2	1,439.0	2,161.8	3,028.8	3,607.7	4,007.7	3,985.3	・	
	食道	C15 D001		38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.8	13.7	42.5	64.9	80.9	145.5	167.3	151.3	73.5	・	
	大腸（結腸・直腸）*2	C18-C20 D010-D012		190.6	0.0	0.0	0.0	0.0	3.1	8.2	4.5	23.3	32.5	65.1	149.3	205.5	311.7	467.4	500.0	667.3	659.0	591.2	・	
	結腸 *2	C18 D010		124.1	0.0	0.0	0.0	0.0	1.6	4.9	3.0	11.0	15.7	38.6	91.8	116.4	177.9	293.3	339.4	450.0	476.9	447.1	・	
	直腸 *2	C19-C20 D011-D012		66.5	0.0	0.0	0.0	0.0	1.6	3.3	1.5	12.3	16.9	26.5	57.5	89.0	133.8	174.2	160.6	217.3	182.1	144.1	・	
	肺	C33-C34 D021-D022		129.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.1	6.0	27.7	41.1	64.4	170.1	257.3	431.8	509.6	582.1	650.0	・	
	皮膚	C43-C44 D030-D049		22.1	0.0	0.0	0.0	1.8	1.6	0.0	3.0	2.7	2.4	7.2	13.7	9.6	11.7	15.7	42.4	98.1	102.6	226.5	・	
	乳房	C50 D05		1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.3	2.2	0.0	7.7	2.6	5.9	・	
	膀胱	C67 D090		50.1	0.0	0.0	0.0	1.8	0.0	1.6	0.0	0.0	0.0	2.4	9.6	20.5	34.2	72.7	85.4	153.0	188.5	235.9	270.6	・
	女	全部位	C00-C96 D00-D09		776.4	7.3	8.7	12.5	24.5	27.1	134.5	270.3	327.8	507.5	586.3	701.4	834.2	1,050.0	1,175.3	1,447.2	1,681.3	1,894.9	2,044.0	・
食道		C15 D001		9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	3.8	5.6	8.2	16.7	20.4	18.1	32.8	35.6	16.0	・	
大腸（結腸・直腸）*2		C18-C20 D010-D012		124.8	0.0	0.0	0.0	0.0	0.0	5.2	7.8	18.1	30.0	52.5	73.2	119.2	169.2	200.0	252.8	337.5	386.4	410.7	・	
結腸 *2		C18 D010		92.7	0.0	0.0	0.0	0.0	0.0	1.7	6.3	8.3	16.3	37.5	53.5	84.9	106.4	151.6	193.1	251.6	301.7	321.3	・	
直腸 *2		C19-C20 D011-D012		32.2	0.0	0.0	0.0	0.0	0.0	3.4	1.6	9.7	13.8	15.0	19.7	34.2	62.8	48.4	59.7	85.9	84.7	89.3	・	
肺		C33-C34 D021-D022		64.6	0.0	0.0	0.0	0.0	0.0	0.0	4.7	2.8	2.8	2.5	21.3	19.7	45.2	73.1	115.1	159.7	160.9	203.4	256.0	・
皮膚		C43-C44 D030-D049		20.9	0.0	0.0	0.0	1.9	0.0	1.7	6.3	2.8	3.8	2.5	1.4	11.0	20.5	15.1	23.6	51.6	67.8	140.0	・	
乳房		C50 D05		176.1	0.0	0.0	0.0	0.0	0.0	6.9	25.0	80.6	198.8	260.0	294.4	245.2	332.1	341.9	297.2	309.4	230.5	169.3	・	
子宮		C53-C55 D06		76.0	0.0	0.0	0.0	0.0	11.9	69.0	157.8	145.8	157.5	112.5	112.7	124.7	71.8	61.3	72.2	59.4	49.2	37.3	・	
子宮頸部		C53 D06		50.1	0.0	0.0	0.0	0.0	11.9	65.5	154.7	136.1	128.8	91.3	54.9	46.6	23.1	25.8	33.3	28.1	10.2	16.0	・	
膀胱	C67 D090		15.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	2.5	1.3	4.2	9.6	7.7	16.1	27.8	43.8	67.8	80.0	・	
総数 *3 全部位	C00-C96 D00-D09		879.1	9.4	8.6	10.2	25.7	21.1	81.5	153.1	202.1	309.8	402.5	573.6	821.2	1,243.2	1,657.7	2,203.6	2,544.8	2,735.7	2,649.5	・		
総数 *3 全部位	食道	C15 D001		23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	4.3	9.7	25.3	40.6	50.0	79.0	93.1	81.6	33.9	・	
	大腸（結腸・直腸）*2	C18-C20 D010-D012		157.0	0.0	0.0	0.0	0.0	1.6	6.7	6.2	20.7	31.3	58.9	111.8	162.3	240.0	330.8	371.0	485.3	494.9	467.0	・	
	結腸 *2	C18 D010		108.0	0.0	0.0	0.0	0.0	0.8	3.4	4.6	9.7	16.0	38.0	72.9	100.7	141.9	220.9	263.0	340.5	371.4	380.6	・	
	直腸 *2	C19-C20 D011-D012		49.0	0.0	0.0	0.0	0.0	0.8	3.4	1.5	11.0	15.3	20.9	38.9	61.6	98.1	109.9	108.0	144.8	123.5	106.4	・	
	肺	C33-C34 D021-D022		96.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.4	4.3	24.5	30.6	54.8	121.3	184.6	289.9	317.2	354.1	378.9	・	
	皮膚	C43-C44 D030-D049		21.5	0.0	0.0	0.0	1.8	0.8	0.8	4.6	2.8	3.1	4.9	7.6	10.3	16.1	15.4	32.6	72.4	81.6	167.0	・	
	乳房	C50 D05		90.5	0.0	0.0	0.0	0.0	0.0	3.4	12.3	40.7	97.5	127.6	145.1	122.6	167.7	175.8	155.1	174.1	139.8	118.3	・	
	子宮	C53-C55 D06		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53 D06		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67 D090		32.4	0.0	0.0	0.0	0.9	0.0	0.8	0.8	0.0	0.0	2.5	5.5	12.5	21.9	40.0	50.0	87.7	108.6	134.7	139.4	・

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯（％）： 部位別

A. 上皮内がんを除く

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	17,884	18.3	33.9	0.0	44.5	3.3
口腔・咽頭	C00-C14	412	2.4	21.4	0.0	73.3	2.9
食道	C15	513	14.6	41.1	0.0	43.1	1.2
胃	C16	2,794	24.5	40.8	0.0	32.9	1.7
大腸（結腸・直腸）	C18-C20	2,760	24.2	25.7	0.0	48.5	1.6
結腸	C18	1,884	24.3	27.4	0.0	46.8	1.5
直腸	C19-C20	876	24.2	21.9	0.0	52.1	1.8
肝および肝内胆管	C22	583	4.6	60.9	0.2	29.8	4.5
胆のう・胆管	C23-C24	404	4.2	35.1	0.0	57.9	2.7
膵臓	C25	777	4.8	37.1	0.1	55.9	2.2
喉頭	C32	89	2.2	14.6	0.0	82.0	1.1
肺	C33-C34	2,165	20.0	43.6	0.0	33.5	2.9
皮膚	C43-C44	398	0.3	14.6	0.0	83.7	1.5
乳房	C50	1,825	26.2	17.8	0.0	48.7	7.3
乳房（女性のみ）	C50	1,814	26.4	17.8	0.0	48.5	7.4
子宮	C53-C55	460	16.5	17.4	0.0	62.8	3.3
子宮頸部	C53	155	19.4	12.9	0.0	63.9	3.9
子宮体部	C54	302	15.2	19.5	0.0	62.9	2.3
卵巣	C56	272	16.2	26.5	0.0	55.9	1.5
前立腺	C61	1,479	31.4	38.9	0.2	22.2	7.3
膀胱	C67	376	3.5	28.2	0.0	65.2	3.2
腎・尿路（膀胱除く）	C64-C66 C68	532	10.3	51.5	0.0	34.4	3.8
脳・中枢神経系	C70-C72	109	0.9	19.3	0.0	74.3	5.5
甲状腺	C73	298	14.8	48.0	0.0	31.2	6.0
悪性リンパ腫	C81-C85 C96	566	8.1	31.1	0.0	58.7	2.1
多発性骨髄腫	C88-C90	139	10.1	48.9	0.0	37.4	3.6
白血病	C91-C95	217	11.5	37.3	0.0	46.1	5.1

*1 DC0を除く総数

表4. 発見経緯（％）： 部位別

B. 上皮内がんを含む

		宮城県				2018年	
部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	20,138	20.2	33.9	0.0	42.8	3.1
食道	C15 D001	546	14.5	42.7	0.0	41.8	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,614	28.3	28.4	0.0	42.0	1.3
結腸 *2	C18 D010	2,486	27.6	30.6	0.0	40.6	1.2
直腸 *2	C19-C20 D011-D012	1,128	29.8	23.7	0.0	44.9	1.6
肺	C33-C34 D021-D022	2,185	20.1	43.6	0.0	33.3	2.9
皮膚	C43-C44 D030-D049	496	0.2	13.9	0.0	84.7	1.2
乳房	C50 D05	2,088	29.3	18.1	0.0	45.6	7.0
乳房（女性のみ）	C50 D05	2,077	29.4	18.2	0.0	45.4	7.1
子宮	C53-C55 D06	898	34.9	25.3	0.0	37.9	2.0
子宮頸部	C53 D06	593	45.0	28.2	0.0	25.3	1.5
膀胱	C67 D090	739	5.4	32.5	0.0	60.1	2.0

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

A. 上皮内がんを除く

宮城県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,537	50.0	9.6	13.1	17.5	9.8	22.7
口腔・咽頭	C00-C14	412	38.6	12.1	38.6	3.6	7.0	50.7
食道	C15	513	51.5	7.8	17.5	17.2	6.0	25.3
胃	C16	2,794	68.9	8.1	4.9	12.4	5.6	13.1
大腸（結腸・直腸）	C18-C20	2,760	50.9	17.3	8.1	17.7	6.0	25.4
結腸	C18	1,884	51.2	16.1	8.5	17.5	6.6	24.6
直腸	C19-C20	876	50.2	19.7	7.2	18.2	4.7	26.9
肝および肝内胆管	C22	583	60.5	3.9	6.9	14.1	14.6	10.8
胆のう・胆管	C23-C24	404	20.8	4.5	33.7	22.3	18.8	38.1
膵臓	C25	777	21.5	8.2	18.8	44.0	7.5	27.0
喉頭	C32	89	71.9	13.5	10.1	1.1	3.4	23.6
肺	C33-C34	2,165	33.7	9.6	9.5	37.2	10.0	19.1
皮膚	C43-C44	398	82.2	1.8	8.5	0.8	6.8	10.3
乳房	C50	1,825	57.1	21.9	3.7	5.7	11.6	25.6
乳房（女性のみ）	C50	1,814	57.1	21.9	3.7	5.7	11.6	25.6
子宮	C53-C55	460	54.6	4.3	24.3	9.8	7.0	28.7
子宮頸部	C53	155	38.1	5.8	40.0	7.7	8.4	45.8
子宮体部	C54	302	63.2	3.6	16.6	10.9	5.6	20.2
卵巣	C56	272	32.4	0.4	41.9	15.4	9.2	42.3
前立腺	C61	1,479	54.4	1.1	19.1	11.4	14.0	20.2
膀胱	C67	376	66.0	4.3	11.2	4.0	14.4	15.4
腎・尿路（膀胱除く）	C64-C66 C68	532	57.3	2.8	16.7	13.5	9.6	19.5
脳・中枢神経系	C70-C72	109	59.6	0.0	21.1	7.3	11.9	21.1
甲状腺	C73	298	28.2	24.8	29.5	6.0	11.4	54.4
悪性リンパ腫	C81-C85 C96	566	27.9	0.2	14.7	43.5	13.8	14.8
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）： 部位別

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,791	10.8	44.7	8.5	11.6	15.5	8.9	20.1
食道	C15 D001	546	6.0	48.4	7.3	16.5	16.1	5.7	23.8
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,614	23.6	38.9	13.2	6.2	13.5	4.6	19.4
結腸 *3	C18 D010	2,486	24.2	38.8	12.2	6.4	13.3	5.1	18.7
直腸 *3	C19-C20 D011-D012	1,128	22.3	39.0	15.3	5.6	14.1	3.6	20.9
肺	C33-C34 D021-D022	2,185	0.9	33.4	9.5	9.4	36.9	9.9	18.9
皮膚	C43-C44 D030-D049	496	19.8	65.9	1.4	6.9	0.6	5.4	8.3
乳房	C50 D05	2,088	11.6	49.9	19.2	3.3	5.0	11.1	22.4
乳房（女性のみ）	C50 D05	2,077	11.7	49.8	19.2	3.2	5.0	11.2	22.4
子宮	C53-C55 D06	898	47.7	28.0	2.2	12.5	5.0	4.7	14.7
子宮頸部	C53 D06	593	72.2	9.9	1.5	10.5	2.0	3.9	12.0
膀胱	C67 D090	739	47.1	34.2	2.2	5.7	2.0	8.8	7.8

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前（%）：部位別

A. 上皮内がんを除く

宮城県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,537	1.2	50.2	7.3	11.1	17.1	13.0	18.4
口腔・咽頭	C00-C14	412	0.5	33.7	13.3	39.1	3.6	9.7	52.4
食道	C15	513	5.7	45.8	6.8	17.3	17.2	7.2	24.2
胃	C16	2,794	0.1	70.6	6.2	4.0	11.5	7.7	10.2
大腸（結腸・直腸）	C18-C20	2,760	2.1	46.4	13.0	8.9	17.1	12.5	22.0
結腸	C18	1,884	2.0	45.1	12.6	9.7	16.7	14.0	22.3
直腸	C19-C20	876	2.3	49.3	13.9	7.3	17.9	9.2	21.2
肝および肝内胆管	C22	583	0.0	59.9	3.6	7.0	13.7	15.8	10.6
胆のう・胆管	C23-C24	404	0.0	20.8	3.2	26.2	21.3	28.5	29.5
膵臓	C25	777	0.0	26.3	4.8	16.5	43.6	8.9	21.2
喉頭	C32	89	1.1	71.9	12.4	10.1	1.1	3.4	22.5
肺	C33-C34	2,165	0.5	33.0	9.2	9.2	37.3	10.8	18.4
皮膚	C43-C44	398	2.3	71.9	1.5	8.0	0.8	15.6	9.5
乳房	C50	1,825	4.1	60.9	13.5	3.6	5.7	12.2	17.1
乳房（女性のみ）	C50	1,814	4.1	60.9	13.6	3.5	5.7	12.2	17.1
子宮	C53-C55	460	3.0	52.8	3.0	23.0	7.6	10.4	26.1
子宮頸部	C53	155	8.4	33.5	2.6	40.6	7.1	7.7	43.2
子宮体部	C54	302	0.3	62.9	3.3	14.2	7.9	11.3	17.5
卵巣	C56	272	0.0	36.4	0.4	21.3	14.7	27.2	21.7
前立腺	C61	1,479	0.0	60.0	1.3	12.9	11.2	14.7	14.2
膀胱	C67	376	3.7	60.9	3.2	10.9	4.0	17.3	14.1
腎・尿路（膀胱除く）	C64-C66 C68	532	0.4	58.5	2.6	10.5	13.3	14.7	13.2
脳・中枢神経系	C70-C72	109	0.0	60.6	0.0	21.1	6.4	11.9	21.1
甲状腺	C73	298	0.0	55.4	13.4	6.7	6.4	18.1	20.1
悪性リンパ腫	C81-C85 C96	566	0.0	26.9	0.2	14.1	43.3	15.5	14.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 D00、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前（％）： 部位別

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,791	8.2	45.7	6.5	9.9	15.1	14.6	16.4
食道	C15 D001	546	10.6	43.8	6.4	16.3	16.1	6.8	22.7
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,614	12.2	36.6	10.0	6.8	13.1	21.4	16.8
結腸 *3	C18 D010	2,486	12.6	35.2	9.6	7.4	12.7	22.6	16.9
直腸 *3	C19-C20 D011-D012	1,128	11.3	39.5	10.8	5.7	13.9	18.7	16.5
肺	C33-C34 D021-D022	2,185	0.8	33.3	9.2	9.1	37.0	10.7	18.3
皮膚	C43-C44 D030-D049	496	20.2	58.7	1.2	6.5	0.6	12.9	7.7
乳房	C50 D05	2,088	13.1	55.0	11.9	3.1	5.0	11.9	15.0
乳房（女性のみ）	C50 D05	2,077	13.2	55.0	11.9	3.1	5.0	11.9	15.0
子宮	C53-C55 D06	898	46.5	27.4	1.6	11.8	3.9	8.8	13.4
子宮頸部	C53 D06	593	70.3	9.3	0.7	10.6	1.9	7.3	11.3
膀胱	C67 D090	739	34.4	38.7	1.9	5.7	2.0	17.3	7.6

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後（％）： 部位別

A. 上皮内がんを除く

宮城県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	10,972	58.9	10.6	10.6	3.2	16.7	21.2
口腔・咽頭	C00-C14	263	47.5	9.9	23.6	1.1	17.9	33.5
食道	C15	260	75.0	3.1	3.8	0.4	17.7	6.9
胃	C16	2,261	76.4	8.4	4.1	1.9	9.2	12.5
大腸（結腸・直腸）	C18-C20	2,237	57.4	19.6	7.2	8.4	7.3	26.9
結腸	C18	1,561	57.6	18.4	8.3	8.6	7.0	26.7
直腸	C19-C20	676	56.8	22.3	4.9	8.0	8.0	27.2
肝および肝内胆管	C22	169	50.3	1.8	2.4	1.8	43.8	4.1
胆のう・胆管	C23-C24	187	23.5	5.3	46.0	3.7	21.4	51.3
膵臓	C25	238	26.9	19.3	14.7	1.7	37.4	34.0
喉頭	C32	43	51.2	14.0	16.3	0.0	18.6	30.2
肺	C33-C34	931	57.4	7.5	6.0	1.3	27.8	13.5
皮膚	C43-C44	360	81.1	1.7	7.2	0.3	9.7	8.9
乳房	C50	1,390	65.3	18.1	1.4	0.3	15.0	19.4
乳房（女性のみ）	C50	1,380	65.3	18.0	1.3	0.3	15.1	19.3
子宮	C53-C55	360	66.1	5.0	14.7	4.4	9.7	19.7
子宮頸部	C53	85	60.0	9.4	11.8	1.2	17.6	21.2
子宮体部	C54	273	68.5	3.7	15.8	5.5	6.6	19.4
卵巣	C56	215	39.5	0.5	42.3	5.1	11.6	42.8
前立腺	C61	498	38.2	0.2	25.9	0.6	35.1	26.1
膀胱	C67	291	36.1	2.4	4.1	1.4	56.0	6.5
腎・尿路（膀胱除く）	C64-C66 C68	374	64.2	0.5	18.2	2.1	15.0	18.7
脳・中枢神経系	C70-C72	77	51.9	0.0	14.3	3.9	29.9	14.3
甲状腺	C73	266	25.6	26.3	31.6	2.6	13.9	57.9
悪性リンパ腫	C81-C85 C96	95	21.1	0.0	6.3	9.5	63.2	6.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後（％）： 部位別

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,141	15.3	49.7	8.8	8.9	2.6	14.6	17.7
食道	C15 D001	287	8.7	67.9	2.8	3.5	0.3	16.7	6.3
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,090	27.5	41.5	14.2	5.2	6.1	5.4	19.4
結腸 *3	C18 D010	2,162	27.7	41.6	13.3	6.0	6.2	5.2	19.3
直腸 *3	C19-C20 D011-D012	928	27.2	41.4	16.3	3.6	5.8	5.8	19.8
肺	C33-C34 D021-D022	950	2.0	56.2	7.4	5.9	1.3	27.3	13.3
皮膚	C43-C44 D030-D049	452	19.7	64.6	1.3	5.8	0.2	8.4	7.1
乳房	C50 D05	1,644	14.2	55.2	15.3	1.2	0.2	13.9	16.4
乳房（女性のみ）	C50 D05	1,634	14.3	55.1	15.2	1.1	0.2	14.0	16.3
子宮	C53-C55 D06	776	49.9	30.7	2.3	6.8	2.1	8.2	9.1
子宮頸部	C53 D06	501	77.2	10.2	1.6	2.0	0.2	8.8	3.6
膀胱	C67 D090	635	50.2	16.5	1.1	1.9	0.6	29.6	3.0

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合（％）： 部位別

A. 上皮内がんを除く

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	17,884	26.9	17.2	12.6	10.2	27.5	10.4	2.0	23.4
口腔・咽頭	C00-C14	412	53.2	0.0	2.7	32.5	23.5	0.2	0.0	19.9
食道	C15	513	2.5	15.0	36.1	25.0	36.1	0.0	0.8	20.7
胃	C16	2,794	13.7	16.9	46.4	0.6	13.6	0.0	0.2	18.7
大腸（結腸・直腸）	C18-C20	2,760	22.0	45.3	14.9	1.8	27.8	0.2	0.3	16.3
結腸	C18	1,884	24.1	45.0	13.7	0.3	25.1	0.2	0.3	17.4
直腸	C19-C20	876	17.5	46.1	17.6	5.0	33.6	0.2	0.2	13.9
肝および肝内胆管	C22	583	13.7	4.1	0.0	1.4	39.8	0.0	40.0	34.5
胆のう・胆管	C23-C24	404	34.7	3.5	2.7	2.5	23.3	0.2	1.2	47.0
膵臓	C25	777	20.5	2.8	0.0	1.3	48.0	0.3	0.1	42.5
喉頭	C32	89	30.3	0.0	10.1	53.9	19.1	0.0	3.4	11.2
肺	C33-C34	2,165	1.9	29.4	0.0	12.7	34.4	0.0	0.1	35.3
皮膚	C43-C44	398	84.7	0.5	0.0	5.8	5.3	0.0	2.8	10.1
乳房	C50	1,825	77.6	0.1	0.2	31.8	32.8	52.2	0.2	12.8
乳房（女性のみ）	C50	1,814	77.6	0.1	0.2	32.0	32.9	52.1	0.2	12.8
子宮	C53-C55	460	66.1	7.8	0.0	18.3	39.3	3.3	0.0	13.9
子宮頸部	C53	155	48.4	1.3	0.0	51.6	40.6	0.0	0.0	18.1
子宮体部	C54	302	75.8	11.3	0.0	1.3	39.1	5.0	0.0	10.9
卵巣	C56	272	76.5	5.9	0.0	0.0	51.1	0.0	0.4	13.6
前立腺	C61	1,479	7.0	14.9	0.7	13.5	2.4	51.3	0.6	22.4
膀胱	C67	376	9.3	4.3	66.8	4.8	45.2	0.8	5.3	24.7
腎・尿路（膀胱除く）	C64-C66 C68	532	17.9	44.7	0.6	1.3	15.4	0.6	2.8	26.7
脳・中枢神経系	C70-C72	109	48.6	0.0	3.7	44.0	44.0	0.0	2.8	35.8
甲状腺	C73	298	77.2	0.0	0.7	15.4	2.7	36.2	0.0	20.5
悪性リンパ腫	C81-C85 C96	566	6.2	0.9	0.7	9.9	63.6	1.1	2.5	29.3
多発性骨髄腫	C88-C90	139	0.0	0.0	0.0	5.8	54.7	1.4	5.0	41.7
白血病	C91-C95	217	0.5	0.0	0.0	0.9	66.8	0.5	1.8	32.7

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合（％）： 部位別

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他の 治療	治療なし ・不明
全部位	C00-C96 D00-D09	20,138	27.7	16.2	17.0	9.6	25.5	9.5	1.9	21.3
食道	C15 D001	546	2.4	14.1	38.6	23.4	33.9	0.0	1.3	20.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,614	17.2	35.4	33.8	1.4	21.2	0.2	0.2	12.5
結腸 *2	C18 D010	2,486	18.6	35.0	33.4	0.2	19.0	0.2	0.2	13.3
直腸 *2	C19-C20 D011-D012	1,128	14.1	36.5	34.8	3.9	26.1	0.2	0.2	10.8
肺	C33-C34 D021-D022	2,185	1.9	30.0	0.0	12.6	34.1	0.0	0.1	35.1
皮膚	C43-C44 D030-D049	496	85.9	0.4	0.0	4.6	5.0	0.0	2.8	8.9
乳房	C50 D05	2,088	79.0	0.1	0.1	32.3	28.7	47.8	0.2	12.2
乳房（女性のみ）	C50 D05	2,077	79.0	0.1	0.1	32.5	28.7	47.7	0.2	12.3
子宮	C53-C55 D06	898	74.2	7.1	0.0	9.6	20.3	1.8	0.1	12.5
子宮頸部	C53 D06	593	73.7	5.1	0.0	13.8	10.8	0.2	0.2	12.8
膀胱	C67 D090	739	5.0	3.9	78.1	2.4	50.7	0.8	6.0	14.5

*1 DC0を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別
A. 上皮内がんを除く

宮城県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	9,857	89.4	8.7	1.9
口腔・咽頭	C00-C14	223	83.9	15.7	0.4
食道	C15	268	93.3	6.7	0.0
胃	C16	2,083	96.3	3.5	0.3
大腸（結腸・直腸）	C18-C20	2,131	91.4	7.8	0.8
結腸	C18	1,461	91.8	7.5	0.8
直腸	C19-C20	670	90.6	8.7	0.7
肝および肝内胆管	C22	104	95.2	4.8	0.0
胆のう・胆管	C23-C24	157	82.2	17.8	0.0
膵臓	C25	180	86.7	12.2	1.1
喉頭	C32	36	83.3	13.9	2.8
肺	C33-C34	679	95.4	4.6	0.0
皮膚	C43-C44	338	93.2	5.9	0.9
乳房	C50	1,419	87.3	4.7	8.0
乳房（女性のみ）	C50	1,409	87.2	4.8	8.0
子宮	C53-C55	338	89.6	8.6	1.8
子宮頸部	C53	76	85.5	14.5	0.0
子宮体部	C54	262	90.8	6.9	2.3
卵巣	C56	220	74.1	22.3	3.6
前立腺	C61	334	80.2	19.5	0.3
膀胱	C67	271	55.7	42.1	2.2
腎・尿路（膀胱除く）	C64-C66 C68	335	94.0	4.8	1.2
脳・中枢神経系	C70-C72	57	61.4	38.6	0.0
甲状腺	C73	232	88.8	8.2	3.0
悪性リンパ腫	C81-C85 C96	44	56.8	31.8	11.4
多発性骨髄腫	C88-C90	0	.	.	.
白血病	C91-C95	1	0.0	100.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 D00を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

B. 上皮内がんを含む

部位		ICD-10	集計対象数 *1		腫瘍遺残なし	腫瘍遺残あり	不明
全部位		C00-C96 D00-D09	11,965		90.0	7.9	2.1
食道		C15 D001	294		93.5	6.5	0.0
大腸（結腸・直腸）*2		C18-C20 D010-D012	2,983		93.3	5.9	0.8
結腸 *2		C18 D010	2,061		93.7	5.6	0.7
直腸 *2		C19-C20 D011-D012	922		92.5	6.5	1.0
肺		C33-C34 D021-D022	698		95.6	4.4	0.0
皮膚		C43-C44 D030-D049	427		94.4	4.9	0.7
乳房		C50 D05	1,653		86.6	5.0	8.5
乳房（女性のみ）		C50 D05	1,643		86.5	5.0	8.5
子宮		C53-C55 D06	727		87.3	10.7	1.9
子宮頸部		C53 D06	465		85.4	12.9	1.7
膀胱		C67 D090	609		74.1	21.2	4.8

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

部位	ICD-10	死亡／罹患比 (M1比)			死亡情報のみの症例および過り調査で 「がん」が確認された症例 DC1 (%)			死亡情報のみの 症例 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男		女	男		女	男		女	男		女	男		女
		総数	*1	総数	*1	総数	*1	総数	*1	総数	*1	総数	*1	総数	*1	総数
全部位	C00-C96	0.38	0.35	0.37	1.6	2.6	2.0	0.9	1.6	1.2	86.7	86.8	86.8	84.1	84.1	84.1
口腔・咽頭	C00-C14	0.32	0.27	0.30	0.4	2.8	1.2	0.4	0.7	0.5	97.4	94.3	96.4	94.9	87.2	92.3
食道	C15	0.38	0.44	0.39	0.5	0.9	0.6	0.5	0.9	0.6	97.3	95.3	96.9	96.8	95.3	96.5
胃	C16	0.25	0.29	0.26	0.7	2.0	1.1	0.3	1.4	0.7	97.4	94.9	96.6	97.4	94.7	96.6
大腸（結腸・直腸）	C18-C20	0.29	0.38	0.33	0.7	2.4	1.4	0.3	1.4	0.8	95.9	90.3	93.5	95.9	90.3	93.5
結腸	C18	0.29	0.39	0.34	0.8	2.8	1.7	0.3	1.4	0.8	95.0	88.5	91.9	95.0	88.5	91.9
直腸	C19-C20	0.27	0.37	0.30	0.5	1.4	0.8	0.3	1.4	0.7	97.4	95.6	96.8	97.4	95.6	96.8
肝および肝内胆管	C22	0.72	0.73	0.72	4.3	4.4	4.3	3.1	2.2	2.8	35.4	24.7	32.2	35.2	20.9	30.8
胆のう・胆管	C23-C24	0.84	0.92	0.87	3.0	7.6	5.0	1.7	4.3	2.9	72.7	61.1	67.5	67.1	51.9	60.3
膵臓	C25	0.79	0.86	0.82	2.3	5.0	3.7	1.0	2.8	1.9	71.2	58.5	64.8	65.1	52.8	58.8
喉頭	C32	0.23	0.22	0.22	0.0	0.0	0.0	0.0	0.0	0.0	98.8	100.0	98.9	98.8	100.0	98.9
肺	C33-C34	0.65	0.52	0.61	2.9	4.9	3.6	1.4	3.5	2.1	77.1	73.7	75.9	68.5	66.6	67.9
皮膚	C43-C44	0.08	0.07	0.08	0.5	0.0	0.3	0.5	0.0	0.3	98.6	98.9	98.7	98.6	98.9	98.7
乳房	C50	0.27	0.14	0.14	0.0	0.6	0.6	0.0	0.4	0.4	100.0	96.6	96.6	100.0	96.3	96.3
子宮	C53-C55	-	0.24	0.24	-	1.1	1.1	-	0.4	0.4	-	97.4	97.4	-	96.5	96.5
子宮頸部	C53	-	0.25	0.25	-	0.0	0.0	-	0.0	0.0	-	98.7	98.7	-	96.8	96.8
子宮体部	C54	-	0.17	0.17	-	0.7	0.7	-	0.0	0.0	-	98.0	98.0	-	97.7	97.7
卵巣	C56	-	0.31	0.31	-	0.4	0.4	-	0.4	0.4	-	90.5	90.5	-	88.3	88.3
前立腺	C61	0.16	-	0.16	1.1	-	1.1	1.0	-	1.0	85.1	-	85.1	84.9	-	84.9
膀胱	C67	0.39	0.46	0.41	2.9	7.1	4.1	2.2	4.4	2.8	87.2	74.3	83.5	79.6	65.5	75.5
腎・尿路（膀胱除く）	C64-C66 C68	0.36	0.40	0.37	2.8	3.6	3.1	2.0	2.1	2.0	80.3	74.5	78.3	76.1	67.7	73.1
脳・中枢神経系	C70-C72	0.53	0.49	0.51	1.8	3.6	2.7	1.8	3.6	2.7	57.9	69.1	63.4	57.9	69.1	63.4
甲状腺	C73	0.23	0.13	0.15	1.3	1.8	1.7	0.0	0.9	0.7	92.5	94.5	94.0	87.5	85.5	86.0
悪性リンパ腫	C81-C85 C96	0.34	0.37	0.35	1.2	5.2	3.0	0.3	2.8	1.4	94.2	88.8	91.8	93.5	87.6	90.9
多発性骨髄腫	C88-C90	0.42	0.49	0.45	1.4	7.1	4.3	0.0	2.9	1.4	95.8	97.1	96.5	74.6	85.7	80.1
白血病	C91-C95	0.52	0.69	0.60	3.3	6.9	4.9	1.6	4.0	2.7	99.2	98.0	98.7	79.5	73.3	76.7

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

部位	ICD-10	死亡／罹患比 (M1比)			死亡情報のみの症例および過り調査で 「がん」が確認された症例 DO1 (%)			死亡情報のみの 症例 DO0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.34	0.31	0.33	1.4	2.3	1.8	0.9	1.4	1.1	88.0	88.6	88.2	85.6	86.1	85.8
食道	C15 D001	0.35	0.41	0.37	0.5	0.9	0.5	0.5	0.9	0.5	97.5	95.6	97.1	97.0	95.6	96.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.21	0.31	0.25	0.5	2.0	1.1	0.2	1.2	0.6	97.0	92.2	95.0	97.0	92.2	95.0
結腸 *2	C18 D010	0.21	0.32	0.26	0.6	2.3	1.3	0.2	1.2	0.6	96.4	90.6	93.9	96.4	90.6	93.9
直腸 *2	C19-C20 D011-D012	0.21	0.28	0.23	0.4	1.0	0.6	0.3	1.0	0.5	98.0	96.6	97.5	98.0	96.6	97.5
肺	C33-C34 D021-D022	0.65	0.52	0.60	2.9	4.8	3.5	1.4	3.4	2.1	77.2	74.1	76.2	68.6	67.2	68.1
皮膚	C43-C44 D030-D049	0.06	0.06	0.06	0.4	0.0	0.2	0.4	0.0	0.2	98.8	99.2	99.0	98.8	99.2	99.0
乳房	C50 D05	0.27	0.12	0.12	0.0	0.5	0.5	0.0	0.4	0.4	100.0	97.0	97.0	100.0	96.8	96.8
子宮	C53-C55 D06	-	0.13	0.13	-	0.6	0.6	-	0.2	0.2	-	98.7	98.7	-	97.9	97.9
子宮頸部	C53 D06	-	0.07	0.07	-	0.0	0.0	-	0.0	0.0	-	99.7	99.7	-	98.7	98.7
膀胱	C67 D090	0.19	0.28	0.21	1.4	4.4	2.1	1.1	2.7	1.5	93.8	84.2	91.5	89.6	78.1	86.8

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別

死亡数										部位割合				粗死亡率				年齢調整死亡率				累積死亡率(0-74歳)			
部位	ICD-10	男		女		総数 *1	男		女		総数 *1	男		女		総数 *1	男		女		総数 *1	男	女	総数 *1	
		男	女	男	女		男	女	男	女		男	女	男	女										
全部位	C00-C97	3,821	2,805	6,626	100.0	100.0	100.0	100.0	100.0	288.6	144.6	84.5	110.5	97.9	60.4	76.6	10.5	6.2	8.3						
口腔・咽頭	C00-C14	86	38	124	2.3	1.4	1.9	7.7	3.2	5.4	3.6	1.0	2.2	2.5	0.7	1.6	0.3	0.1	0.2						
食道	C15	154	47	201	4.0	1.7	3.0	13.7	4.0	8.8	6.4	1.4	3.7	4.4	1.0	2.6	0.5	0.1	0.3						
胃	C16	471	258	729	12.3	9.2	11.0	41.9	22.0	31.8	18.3	7.1	12.2	12.7	5.1	8.5	1.4	0.5	0.9						
大腸（結腸・直腸）	C18-C20	453	456	909	11.9	16.3	13.7	40.3	38.9	39.6	17.6	12.8	15.0	12.2	9.1	10.5	1.3	0.9	1.1						
結腸	C18	295	348	643	7.7	12.4	9.7	26.3	29.7	28.0	10.9	9.1	9.9	7.5	6.3	6.8	0.7	0.6	0.7						
直腸	C19-C20	158	108	266	4.1	3.9	4.0	14.1	9.2	11.6	6.7	3.7	5.1	4.7	2.8	3.7	0.5	0.3	0.4						
肝および肝内胆管	C22	299	133	432	7.8	4.7	6.5	26.6	11.3	18.8	11.4	3.5	7.1	7.9	2.4	4.9	0.9	0.3	0.6						
胆のう・胆管	C23-C24	193	170	363	5.1	6.1	5.5	17.2	14.5	15.8	6.3	3.4	4.7	4.1	2.2	3.1	0.4	0.2	0.3						
膵臓	C25	310	343	653	8.1	12.2	9.9	27.6	29.2	28.4	12.5	9.7	11.0	8.5	6.5	7.5	1.1	0.7	0.9						
喉頭	C32	18	2	20	0.5	0.1	0.3	1.6	0.2	0.9	0.7	0.0	0.3	0.5	0.0	0.2	0.1	0.0	0.0						
肺	C33-C34	949	394	1,343	24.8	14.0	20.3	84.5	33.6	58.5	35.3	10.1	21.4	23.4	6.9	14.3	2.6	0.7	1.6						
皮膚	C43-C44	16	14	30	0.4	0.5	0.5	1.4	1.2	1.3	0.7	0.3	0.5	0.5	0.2	0.4	0.0	0.0	0.0						
乳房	C50	3	247	250	0.1	8.8	3.8	0.3	21.1	10.9	0.1	11.2	5.8	0.1	8.3	4.3	0.0	0.9	0.5						
子宮	C53-C55	-	113	113	-	4.0	1.7	-	9.6	-	-	5.0	-	-	3.6	-	-	0.4	-						
子宮頸部	C53	-	39	39	-	1.4	0.6	-	3.3	-	-	2.2	-	-	1.6	-	-	0.2	-						
子宮体部	C54	-	51	51	-	1.8	0.8	-	4.3	-	-	1.8	-	-	1.2	-	-	0.1	-						
卵巣	C56	-	84	84	-	3.0	1.3	-	7.2	-	-	3.8	-	-	2.9	-	-	0.3	-						
前立腺	C61	236	-	236	6.2	-	3.6	21.0	-	-	7.2	-	-	4.5	-	-	0.3	-	-						
膀胱	C67	108	52	160	2.8	1.9	2.4	9.6	4.4	7.0	3.5	0.9	2.0	2.2	0.6	1.3	0.2	0.0	0.1						
腎・尿路（膀胱除く）	C64-C66 C68	126	76	202	3.3	2.7	3.0	11.2	6.5	8.8	4.6	1.7	3.0	3.1	1.1	2.0	0.4	0.1	0.2						
脳・中枢神経系	C70-C72	30	27	57	0.8	1.0	0.9	2.7	2.3	2.5	1.7	2.0	1.8	1.3	2.0	1.7	0.1	0.2	0.1						
甲状腺	C73	18	28	46	0.5	1.0	0.7	1.6	2.4	2.0	0.6	0.7	0.6	0.4	0.4	0.4	0.0	0.1	0.0						
悪性リンパ腫	C81-C85 C96	110	92	202	2.9	3.3	3.0	9.8	7.8	8.8	4.0	2.6	3.2	2.7	1.8	2.2	0.3	0.2	0.2						
多発性骨髄腫	C88-C90	30	34	64	0.8	1.2	1.0	2.7	2.9	2.8	1.1	0.7	0.9	0.7	0.5	0.6	0.1	0.0	0.1						
白血病	C91-C95	64	70	134	1.7	2.5	2.0	5.7	6.0	5.8	2.6	2.1	2.3	1.7	1.6	1.6	0.2	0.1	0.2						

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2018年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-097	3,821	0	1	1	0	1	2	2	3	8	18	34	52	114	252	500	594	630	675	601	269	61	4	0
	口腔・咽頭	000-C14	86	0	0	0	0	0	0	0	0	1	1	2	2	3	8	12	10	18	16	7	6	0	0	0
	食道	C15	154	0	0	0	0	0	0	0	0	0	1	1	4	9	16	29	17	24	26	19	7	1	0	0
	胃	C16	471	0	0	0	0	0	0	0	0	0	4	8	8	12	46	62	68	71	76	71	36	8	1	0
	大腸（結腸・直腸）	C18-C20	453	0	0	0	0	0	1	0	0	3	1	9	6	22	28	68	56	77	60	75	38	9	0	0
	結腸	C18	295	0	0	0	0	0	0	1	0	3	1	5	2	9	13	44	34	54	39	55	29	6	0	0
	直腸	C19-C20	158	0	0	0	0	0	0	0	0	0	0	4	4	13	15	24	22	23	21	20	9	3	0	0
	肝および肝内胆管	C22	299	0	0	0	0	0	0	0	0	0	3	2	1	6	31	45	53	36	57	47	15	3	0	0
	胆のう・胆管	C23-C24	193	0	0	0	0	0	0	0	0	0	0	0	1	3	5	23	27	33	32	42	20	7	0	0
	膵臓	C25	310	0	0	0	0	0	0	0	0	0	2	0	6	14	25	43	70	51	48	36	13	2	0	0
	喉頭	C32	18	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	2	4	2	1	2	1	0	0
	肺	C33-C34	949	0	0	0	0	0	0	0	1	2	1	7	13	24	45	126	167	167	180	141	61	13	1	0
	皮膚	C43-C44	16	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	1	4	5	2	1	0	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0
	前立腺	C61	236	0	0	0	0	0	0	0	0	0	0	0	1	2	4	15	26	34	64	57	26	7	0	0
	膀胱	C67	108	0	0	0	0	0	0	0	0	0	1	1	2	1	2	6	10	20	25	18	15	5	2	0
	腎・尿路（膀胱除く）	064-066 068	126	0	0	0	0	0	0	0	0	0	0	1	1	3	8	19	22	15	24	22	10	1	0	0
	脳・中枢神経系	C70-C72	30	0	1	0	1	0	0	0	0	0	0	2	0	5	3	3	3	7	2	3	0	0	0	0
	甲状腺	C73	18	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	4	1	4	4	1	1	0	0
	悪性リンパ腫	C81-C85 096	110	0	0	0	0	0	0	0	0	0	0	0	2	4	7	12	18	17	21	20	8	1	0	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	7	8	6	4	0	0	0	0
	白血病	C91-C95	64	0	0	0	0	0	0	0	2	0	1	0	2	0	1	8	12	15	11	11	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	C00-C97	2,805	3	1	0	0	1	6	7	6	10	27	40	67	124	138	252	279	332	468	548	359	115	22	0
	口腔・咽頭	C00-C14	38	0	0	0	0	0	1	0	0	0	0	0	1	1	1	3	4	2	6	10	5	4	0	0
	食道	C15	47	0	0	0	0	0	0	0	0	0	0	1	0	1	5	3	9	4	9	8	7	0	0	0
	胃	C16	258	0	0	0	0	1	0	1	1	1	2	3	4	10	15	20	22	26	40	65	33	13	2	0
	大腸（結腸・直腸）	C18-C20	456	0	0	0	0	0	0	2	1	3	6	7	8	17	24	33	34	50	75	99	76	20	1	0
	結腸	C18	348	0	0	0	0	0	0	1	0	2	5	4	5	8	14	25	30	42	59	76	58	18	1	0
	直腸	C19-C20	108	0	0	0	0	0	0	1	1	1	1	3	3	9	10	8	4	8	16	23	18	2	0	0
	肝および肝内胆管	C22	133	0	0	0	0	0	0	0	0	0	0	0	2	3	9	13	14	18	22	36	14	2	0	0
	胆のう・胆管	C23-C24	170	0	0	0	0	0	0	0	0	0	0	1	1	0	4	9	16	18	30	41	32	14	4	0
	膵臓	C25	343	0	0	0	0	0	0	0	0	0	1	2	4	16	12	34	43	55	67	61	38	8	2	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	肺	C33-C34	394	0	0	0	0	0	0	0	0	0	2	2	5	9	16	39	45	49	66	67	64	27	3	0
	皮膚	C43-C44	14	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	3	1	5	1	0	0
	乳房	C50	247	0	0	0	0	0	0	0	0	3	9	8	19	31	22	31	21	27	29	28	9	8	2	0
	子宮	C53-C55	113	0	0	0	0	0	0	0	1	1	3	4	7	12	10	12	13	16	13	17	4	0	0	0
	子宮頸部	C53	39	0	0	0	0	0	0	0	1	1	3	3	1	5	6	3	5	4	3	2	2	0	0	0
	子宮体部	C54	51	0	0	0	0	0	0	0	0	0	0	0	3	4	3	6	7	7	7	12	2	0	0	0
	卵巣	C56	84	0	0	0	0	0	0	1	0	1	1	4	8	9	7	9	10	8	6	11	8	1	0	0
	膀胱	C67	52	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	4	4	9	15	11	4	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	76	0	0	0	0	0	0	1	0	0	0	1	0	0	1	4	7	6	25	18	10	3	0	0
	脳・中枢神経系	C70-C72	27	1	1	0	1	3	2	1	0	0	0	0	0	3	1	5	3	1	4	0	1	0	0	0
	甲状腺	C73	28	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	4	3	5	7	2	2	1	0
	悪性リンパ腫	C81-C85 C96	92	0	0	0	0	0	0	0	1	0	0	0	4	2	5	10	8	11	17	21	10	2	1	0
	多発性骨髄腫	C88-C90	34	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	5	9	9	5	0	0	0
	白血病	C91-C95	70	1	0	0	0	0	0	0	0	0	1	2	0	2	1	5	10	9	19	13	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数 *2 全部位		C00-C97	6,626	3	2	0	0	2	8	9	9	18	45	74	119	238	390	752	873	962	1,143	1,149	628	176	26	0
女性	口腔・咽頭	C00-C14	124	0	0	0	0	0	1	0	0	1	1	2	3	4	9	15	14	20	22	17	11	4	0	0
	食道	C15	201	0	0	0	0	0	0	0	0	0	1	2	4	10	21	32	26	28	35	27	14	1	0	0
	胃	C16	729	0	0	0	0	0	1	0	1	1	6	11	12	22	61	82	90	97	116	136	69	21	3	0
	大腸（結腸・直腸）	C18-C20	909	0	0	0	0	0	3	1	6	7	16	14	39	52	101	101	90	127	135	174	114	29	1	0
	結腸	C18	643	0	0	0	0	0	2	0	5	6	9	7	17	27	69	69	64	96	98	131	87	24	1	0
	直腸	C19-C20	266	0	0	0	0	0	1	1	1	1	7	7	22	25	32	32	26	31	37	43	27	5	0	0
	肝および肝内胆管	C22	432	0	0	0	0	0	0	0	0	0	3	2	3	9	40	58	67	54	79	83	29	5	0	0
	胆のう・胆管	C23-C24	363	0	0	0	0	0	0	0	0	0	0	1	2	3	9	32	43	51	62	83	52	21	4	0
	膵臓	C25	653	0	0	0	0	0	0	0	0	0	3	2	10	30	37	77	113	106	115	97	51	10	2	0
	喉頭	C32	20	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	3	4	2	2	1	0	0	0
	肺	C33-C34	1,343	0	0	0	0	0	0	0	1	2	3	9	18	33	61	165	212	216	246	208	125	40	4	0
	皮膚	C43-C44	30	0	0	0	0	0	0	1	0	0	0	1	0	0	3	1	2	4	8	3	6	1	0	0
	乳房	C50	250	0	0	0	0	0	0	0	0	3	9	8	19	31	23	31	21	28	29	28	10	8	2	0
	子宮	C53-C55	113	0	0	0	0	0	0	0	1	1	3	4	7	12	10	12	13	16	13	17	4	0	0	0
	子宮頸部	C53	39	0	0	0	0	0	0	0	1	1	3	3	1	5	6	3	5	4	3	2	2	0	0	0
	子宮体部	C54	51	0	0	0	0	0	0	0	0	0	0	0	3	4	3	6	7	7	7	12	2	0	0	0
	卵巢	C56	84	0	0	0	0	0	0	0	1	0	1	4	8	9	7	9	10	8	6	11	8	1	0	0
	前立腺	C61	236	0	0	0	0	0	0	0	0	0	0	0	1	2	4	15	26	34	64	57	26	7	0	0
	膀胱	C67	160	0	0	0	0	0	0	0	0	0	1	1	3	1	3	7	14	24	34	33	26	9	4	0
	腎・尿路（膀胱除く）	C64-C66 C68	202	0	0	0	0	0	0	0	1	0	0	2	1	3	9	23	29	21	49	40	20	4	0	0
	脳・中枢神経系	C70-C72	57	1	2	0	0	2	3	2	1	0	0	2	0	8	4	8	6	8	6	3	1	0	0	0
	甲状腺	C73	46	0	0	0	0	0	0	0	0	0	1	0	0	1	0	5	8	4	9	11	3	3	1	0
	悪性リンパ腫	C81-C85 C96	202	0	0	0	0	0	0	0	1	0	0	0	6	6	12	22	26	28	38	41	18	3	1	0
	多発性骨髄腫	C88-C90	64	0	0	0	0	0	0	0	0	0	0	0	0	1	2	6	9	13	15	13	5	0	0	0
	白血病	C91-C95	134	1	0	0	0	0	0	0	2	0	2	2	2	2	2	13	22	24	30	24	8	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	340.2	0.0	2.1	0.0	0.0	1.8	3.3	3.4	4.6	11.1	21.7	41.0	71.2	156.2	327.3	561.8	900.0	1,211.5	1,730.8	1,767.6	・	・	・
	口腔・咽頭	C00-C14	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	2.4	2.7	4.1	10.4	13.5	15.2	34.6	41.0	20.6	・	・	・
	食道	C15	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	5.5	12.3	20.8	32.6	25.8	46.2	66.7	55.9	・	・	・
	胃	C16	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	9.6	11.0	16.4	59.7	69.7	103.0	136.5	194.9	208.8	・	・	・
	大腸（結腸・直腸）	C18-C20	40.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.2	1.2	10.8	8.2	30.1	36.4	76.4	84.8	148.1	153.8	220.6	・	・	・
	結腸	C18	26.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.2	1.2	6.0	2.7	12.3	16.9	49.4	51.5	103.8	100.0	161.8	・	・	・
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.5	17.8	19.5	27.0	33.3	44.2	53.8	58.8	・	・	・
	肝および肝内胆管	C22	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.4	1.4	8.2	40.3	50.6	80.3	69.2	146.2	138.2	・	・	・
	胆のう・胆管	C23-C24	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.1	6.5	25.8	40.9	63.5	82.1	123.5	・	・	・
	膵臓	C25	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	8.2	19.2	32.5	48.3	106.1	98.1	123.1	105.9	・	・	・
	喉頭	C32	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	3.4	3.0	7.7	5.1	2.9	・	・	・
	肺	C33-C34	84.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.8	1.2	8.4	17.8	32.9	58.4	141.6	253.0	321.2	461.5	414.7	・	・	・
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.2	0.0	0.0	1.3	0.0	1.5	7.7	12.8	5.9	・	・	・
	乳房	C50	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.9	0.0	0.0	・	・	・
	前立腺	C61	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	5.2	16.9	39.4	65.4	164.1	167.6	・	・	・
	膀胱	C67	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	2.7	1.4	2.6	6.7	15.2	38.5	64.1	52.9	・	・	・
	腎・尿路（膀胱除く）	C64-C66 C68	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	4.1	10.4	21.3	33.3	28.8	61.5	64.7	・	・	・
	脳・中枢神経系	C70-C72	2.7	0.0	2.1	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	2.4	0.0	6.8	3.9	3.4	4.5	13.5	5.1	8.8	・	・	・
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	2.2	6.1	1.9	10.3	11.8	・	・	・
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.5	9.1	13.5	27.3	32.7	53.8	58.8	・	・	・
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.4	10.6	15.4	15.4	11.8	・	・	・
	白血病	C91-C95	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.2	0.0	2.7	0.0	1.3	9.0	18.2	28.8	28.2	32.4	・	・	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	I0D-I10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	239.1	7.3	2.2	0.0	0.0	1.9	10.7	12.5	9.5	14.1	33.8	50.6	95.7	172.2	176.9	271.0	387.5	518.8	793.2	730.7	・	・	・
	口腔・咽頭	C00-C14	3.2	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.3	3.2	5.6	3.1	10.2	13.3	・	・	・
	食道	C15	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	6.4	3.2	12.5	6.3	15.3	10.7	・	・	・
	胃	C16	22.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	1.4	2.5	3.8	5.7	13.9	19.2	21.5	30.6	40.6	67.8	86.7	・	・	・
	大腸（結腸・直腸）	C18-C20	38.9	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.6	4.2	7.5	8.9	11.4	23.6	30.8	35.5	47.2	78.1	127.1	132.0	・	・	・
	結腸	C18	29.7	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.8	6.3	5.1	7.1	11.1	17.9	26.9	41.7	65.6	100.0	101.3	・	・	・
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.6	1.4	1.3	3.8	4.3	12.5	12.8	8.6	5.6	12.5	27.1	30.7	・	・	・
	肝および肝内胆管	C22	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.2	11.5	14.0	19.4	28.1	37.3	48.0	・	・	・
	胆のう・胆管	C23-C24	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	0.0	5.1	9.7	22.2	28.1	50.8	54.7	・	・	・
	膵臓	C25	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.5	5.7	22.2	15.4	36.6	59.7	85.9	113.6	81.3	・	・	・
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.3	・	・	・
	肺	C33-C34	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	7.1	12.5	20.5	41.9	62.5	76.6	111.9	89.3	・	・	・
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.1	1.4	0.0	5.1	1.3	・	・	・
	乳房	C50	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	11.3	10.1	27.1	43.1	28.2	33.3	29.2	42.2	49.2	37.3	・	・	・
	子宮	C53-C55	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	3.8	5.1	10.0	16.7	12.8	12.9	18.1	25.0	22.0	22.7	・	・	・
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	3.8	3.8	1.4	6.9	7.7	3.2	6.9	6.3	5.1	2.7	・	・	・
	子宮体部	C54	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	3.8	6.5	9.7	10.9	11.9	16.0	・	・	・
	卵巢	C56	7.2	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.4	1.3	5.1	11.4	12.5	9.0	9.7	13.9	12.5	10.2	14.7	・	・	・
	膀胱	C67	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	1.1	5.6	6.3	15.3	20.0	・	・	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.3	0.0	0.0	1.3	4.3	9.7	9.4	42.4	24.0	・	・	・
	脳・中枢神経系	C70-C72	2.3	2.4	2.2	0.0	1.9	5.4	3.6	1.6	0.0	0.0	0.0	0.0	0.0	4.2	1.3	5.4	4.2	1.6	6.8	0.0	・	・	・
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.2	5.6	4.7	8.5	9.3	・	・	・
	悪性リンパ腫	C81-C85 C96	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	5.7	2.8	6.4	10.8	11.1	17.2	28.8	28.0	・	・	・
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.2	2.8	7.8	15.3	12.0	・	・	・
	白血病	C91-C95	6.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.5	0.0	2.8	1.3	5.4	13.9	14.1	32.2	17.3	・	・	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	288.6	3.5	2.2	0.0	0.0	1.9	6.8	7.8	7.0	12.6	27.6	45.7	83.2	164.1	251.6	413.2	632.6	829.3	1,166.3	1,054.1	・	・	・
	口腔・咽頭	C00-C14	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.2	2.1	2.8	5.8	8.2	10.1	17.2	22.4	15.6	・	・	・
	食道	C15	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.2	2.8	6.9	13.5	17.6	18.8	24.1	35.7	24.8	・	・	・
	胃	C16	31.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	3.7	6.8	8.4	15.2	39.4	45.1	65.2	83.6	118.4	124.8	・	・	・
	大腸（結腸・直腸）	C18-C20	39.6	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.8	4.2	4.3	9.9	9.8	26.9	33.5	55.5	65.2	109.5	137.8	159.6	・	・	・
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.5	3.7	5.6	4.9	11.7	17.4	37.9	46.4	82.8	100.0	120.2	・	・	・
	直腸	C19-C20	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.7	0.6	4.3	4.9	15.2	16.1	17.6	18.8	26.7	37.8	39.4	・	・	・
	肝および肝内胆管	C22	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.2	2.1	6.2	25.8	31.9	48.6	46.6	80.6	76.1	・	・	・
	胆のう・胆管	C23-C24	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	2.1	5.8	17.6	31.2	44.0	63.3	76.1	・	・	・
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.2	7.0	20.7	23.9	42.3	81.9	91.4	117.3	89.0	・	・	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.6	2.2	3.4	2.0	1.8	・	・	・
	肺	C33-C34	58.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	1.8	5.6	12.6	22.8	39.4	90.7	153.6	186.2	251.0	190.8	・	・	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.6	0.0	0.0	1.9	0.5	1.4	3.4	8.2	2.8	・	・	・
	乳房	C50	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.5	4.9	13.3	21.4	14.8	17.0	15.2	24.1	29.6	25.7	・	・	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巢	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.1	0.7	1.9	3.8	10.1	20.7	34.7	30.3	・	・	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.2	0.7	2.1	5.8	12.6	21.0	18.1	50.0	36.7	・	・	・
	脳・中枢神経系	C70-C72	2.5	1.2	2.2	0.0	1.9	2.6	1.7	0.8	0.0	0.0	0.0	1.2	0.0	5.5	2.6	4.4	4.3	6.9	6.1	2.8	・	・	・
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.0	2.7	5.8	3.4	9.2	10.1	・	・	・
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	4.2	4.1	7.7	12.1	18.8	24.1	38.8	37.6	・	・	・
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	3.3	6.5	11.2	15.3	11.9	・	・	・
	白血病	C91-C95	5.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.2	1.2	1.4	1.4	1.3	7.1	15.9	20.7	30.6	22.0	・	・	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	340.2	0.0	2.1	0.0	1.8	3.3	3.4	4.6	11.1	21.7	41.0	71.2	156.2	327.3	561.8	900.0	1,211.5	1,730.8	2,750.0	・
	口腔・咽頭	C00-C14	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	2.4	2.7	4.1	10.4	13.5	15.2	34.6	41.0	38.2	・
	食道	C15	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	5.5	12.3	20.8	32.6	25.8	46.2	66.7	79.4	・
	胃	C16	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	9.6	11.0	16.4	59.7	69.7	103.0	136.5	194.9	341.2	・
	大腸（結腸・直腸）	C18-C20	40.3	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.2	1.2	10.8	8.2	30.1	36.4	76.4	84.8	148.1	153.8	358.8	・
	結腸	C18	26.3	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.2	1.2	6.0	2.7	12.3	16.9	49.4	51.5	103.8	100.0	264.7	・
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.5	17.8	19.5	27.0	33.3	44.2	53.8	94.1	・
	肝および肝内胆管	C22	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.4	1.4	8.2	40.3	50.6	80.3	69.2	146.2	191.2	・
	胆のう・胆管	C23-C24	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.1	6.5	25.8	40.9	63.5	82.1	202.9	・
	膵臓	C25	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	8.2	19.2	32.5	48.3	106.1	98.1	123.1	150.0	・
	喉頭	C32	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	3.4	3.0	7.7	5.1	11.8	・
	肺	C33-C34	84.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.8	1.2	8.4	17.8	32.9	58.4	141.6	253.0	321.2	461.5	635.3	・
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.2	0.0	0.0	1.3	0.0	1.5	7.7	12.8	8.8	・
	乳房	C50	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.9	0.0	2.9	・
	前立腺	C61	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	5.2	16.9	39.4	65.4	164.1	264.7	・
	膀胱	C67	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	2.7	1.4	2.6	6.7	15.2	38.5	64.1	117.6	・
	腎・尿路（膀胱除く）	C64-C66 C68	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	4.1	10.4	21.3	33.3	28.8	61.5	97.1	・
	脳・中枢神経系	C70-C72	2.7	0.0	2.1	0.0	1.8	0.0	0.0	0.0	0.0	0.0	2.4	0.0	6.8	3.9	3.4	4.5	13.5	5.1	8.8	・
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	2.2	6.1	1.9	10.3	17.6	・
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	5.5	9.1	13.5	27.3	32.7	53.8	85.3	・
	多発性骨髄腫	C88-C90	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.4	10.6	15.4	15.4	11.8	・
	白血病	C91-C95	5.7	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.2	0.0	2.7	0.0	1.3	9.0	18.2	28.8	28.2	35.3	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	239.1	7.3	2.2	0.0	0.0	1.9	10.7	12.5	9.5	14.1	33.8	50.6	95.7	172.2	176.9	271.0	387.5	518.8	793.2	1,392.0	・
	口腔・咽頭	C00-C14	3.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.3	3.2	5.6	3.1	10.2	25.3	・
	食道	C15	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	6.4	3.2	12.5	6.3	15.3	20.0	・
	胃	C16	22.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	1.4	2.5	3.8	5.7	13.9	19.2	21.5	30.6	40.6	67.8	150.7	・	
	大腸（結腸・直腸）	C18-C20	38.9	0.0	0.0	0.0	0.0	0.0	3.6	1.6	4.2	7.5	8.9	11.4	23.6	30.8	35.5	47.2	78.1	127.1	261.3	・	
	結腸	C18	29.7	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.8	6.3	5.1	7.1	11.1	17.9	26.9	41.7	65.6	100.0	204.0	・	
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	1.8	1.6	1.4	1.3	3.8	4.3	12.5	12.8	8.6	5.6	12.5	27.1	57.3	・	
	肝および肝内胆管	C22	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.2	11.5	14.0	19.4	28.1	37.3	69.3	・
	胆のう・胆管	C23-C24	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	0.0	5.1	9.7	22.2	28.1	50.8	121.3	・
	膵臓	C25	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.5	5.7	22.2	15.4	36.6	59.7	85.9	113.6	145.3	・	
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.3	・
	肺	C33-C34	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5	7.1	12.5	20.5	41.9	62.5	76.6	111.9	214.7	・
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.1	1.4	0.0	5.1	9.3	・
	乳房	C50	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	11.3	10.1	27.1	43.1	28.2	33.3	29.2	42.2	49.2	62.7	・
	子宮	C53-C55	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	3.8	5.1	10.0	16.7	12.8	12.9	18.1	25.0	22.0	28.0	・
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	3.8	3.8	1.4	6.9	7.7	3.2	6.9	6.3	5.1	5.3	・
	子宮体部	C54	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	3.8	6.5	9.7	10.9	11.9	18.7	・
	卵巢	C56	7.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	1.3	5.1	11.4	12.5	9.0	9.7	13.9	12.5	10.2	26.7	・
	膀胱	C67	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	1.1	5.6	6.3	15.3	42.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.3	0.0	0.0	1.3	4.3	9.7	9.4	42.4	41.3	・
	脳・中枢神経系	C70-C72	2.3	2.4	2.2	0.0	1.9	5.4	3.6	1.6	0.0	0.0	0.0	0.0	0.0	4.2	1.3	5.4	4.2	1.6	6.8	1.3	・
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.2	5.6	4.7	8.5	16.0	・
	悪性リンパ腫	C81-C85 C96	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	5.7	2.8	6.4	10.8	11.1	17.2	28.8	45.3	・
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.2	2.8	7.8	15.3	18.7	・
	白血病	C91-C95	6.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.5	0.0	2.8	1.3	5.4	13.9	14.1	32.2	26.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
総数 *2	全部位	C00-C97	288.6	3.5	2.2	0.0	0.0	1.9	6.8	7.8	7.0	12.6	27.6	45.7	83.2	164.1	251.6	413.2	632.6	829.3	1,166.3	1,815.6	・
	口腔・咽頭	C00-C14	5.4	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.7	0.6	1.2	2.1	2.8	5.8	8.2	10.1	17.2	22.4	29.4	・
	食道	C15	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.2	2.8	6.9	13.5	17.6	18.8	24.1	35.7	38.5	・
	胃	C16	31.8	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.8	0.7	3.7	6.8	8.4	15.2	39.4	45.1	65.2	83.6	118.4	210.1	・
	大腸（結腸・直腸）	C18-C20	39.6	0.0	0.0	0.0	0.0	0.0	2.6	0.8	0.8	4.2	4.3	9.9	9.8	26.9	33.5	55.5	65.2	109.5	137.8	291.7	・
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.5	3.7	5.6	4.9	11.7	17.4	37.9	46.4	82.8	100.0	222.9	・
	直腸	C19-C20	11.6	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.8	0.7	0.6	4.3	4.9	15.2	16.1	17.6	18.8	26.7	37.8	68.8	・
	肝および肝内胆管	C22	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.2	2.1	6.2	25.8	31.9	48.6	46.6	80.6	107.3	・
	胆のう・胆管	C23-C24	15.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	2.1	5.8	17.6	31.2	44.0	63.3	146.8	・
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.2	7.0	20.7	23.9	42.3	81.9	91.4	117.3	146.8	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.6	2.2	3.4	2.0	4.6	・
	肺	C33-C34	58.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	1.4	1.8	5.6	12.6	22.8	39.4	90.7	153.6	186.2	251.0	345.9	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.9	0.5	1.4	3.4	8.2	9.2	・
	乳房	C50	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.5	4.9	13.3	21.4	14.8	17.0	15.2	24.1	29.6	44.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巢	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.1	0.7	1.9	3.8	10.1	20.7	34.7	66.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.8	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	1.2	0.7	2.1	5.8	12.6	21.0	18.1	50.0	58.7	・
	脳・中枢神経系	C70-C72	2.5	1.2	2.2	0.0	1.9	2.6	1.7	0.8	0.8	0.0	0.0	1.2	0.0	5.5	2.6	4.4	4.3	6.9	6.1	3.7	・
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.0	2.7	5.8	3.4	9.2	16.5	・
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	4.2	4.1	7.7	12.1	18.8	24.1	38.8	57.8	・
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	3.3	6.5	11.2	15.3	16.5	・
	白血病	C91-C95	5.8	1.2	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.2	1.2	1.4	1.4	1.3	7.1	15.9	20.7	30.6	29.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率（％）： 部位別、性別

宮城県 2018年

部位	ICD-10	男				女				男女計	
		5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率	
		5年相対生存率	標準誤差			5年相対生存率	標準誤差			5年相対生存率	標準誤差
全部位	C00-C96	0.0	0.0		8,502	0.0	0.0		7,086	0.0	0.0
口腔・咽頭	C00-C14	0.0	0.0		212	0.0	0.0		128	0.0	0.0
食道	C15	0.0	0.0		318	0.0	0.0		97	0.0	0.0
胃	C16	0.0	0.0		1,608	0.0	0.0		806	0.0	0.0
大腸（結腸・直腸）	C18-C20	0.0	0.0		1,381	0.0	0.0		1,077	0.0	0.0
結腸	C18	0.0	0.0		865	0.0	0.0		818	0.0	0.0
直腸	C19-C20	0.0	0.0		516	0.0	0.0		259	0.0	0.0
肝および肝内胆管	C22	0.0	0.0		348	0.0	0.0		158	0.0	0.0
胆のう・胆管	C23-C24	0.0	0.0		194	0.0	0.0		158	0.0	0.0
膵臓	C25	0.0	0.0		333	0.0	0.0		352	0.0	0.0
喉頭	C32	0.0	0.0		69	0.0	0.0		8	0.0	0.0
肺	C33-C34	0.0	0.0		1,175	0.0	0.0		629	0.0	0.0
皮膚	C43-C44	0.0	0.0		168	0.0	0.0		167	0.0	0.0
乳房	C50	0.0	0.0		11	0.0	0.0		1,718	0.0	0.0
子宮	C53-C55	-	-		-	-	-		426	0.0	0.0
子宮頸部	C53	-	-		-	-	-		146	0.0	0.0
子宮体部	C54	-	-		-	-	-		277	0.0	0.0
卵巢	C56	-	-		-	-	-		192	0.0	0.0
前立腺	C61	0.0	0.0		1,301	0.0	0.0		-	-	-
膀胱	C67	0.0	0.0		221	0.0	0.0		92	0.0	0.0
腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0		279	0.0	0.0		165	0.0	0.0
脳・中枢神経系	C70-C72	0.0	0.0		47	0.0	0.0		51	0.0	0.0
甲状腺	C73	0.0	0.0		66	0.0	0.0		194	0.0	0.0
悪性リンパ腫	C81-C85 C96	0.0	0.0		288	0.0	0.0		217	0.0	0.0
多発性骨髄腫	C88-C90	0.0	0.0		63	0.0	0.0		62	0.0	0.0
白血病	C91-C95	0.0	0.0		103	0.0	0.0		81	0.0	0.0

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率（％）：主要部位別、性別、進展度・総合別

宮城県2018年

部位	ICD-10	進展度・総合				男				女				男女計			
		集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差
全部位	C00-C96	限局	4,183	0.0	0.0	3,297		0.0	0.0	7,480		0.0	0.0	7,480		0.0	0.0
		リ転	683	0.0	0.0	853		0.0	0.0	1,536		0.0	0.0	1,536		0.0	0.0
		隣接	1,114	0.0	0.0	918		0.0	0.0	2,032		0.0	0.0	2,032		0.0	0.0
		遠隔	1,638	0.0	0.0	1,139		0.0	0.0	2,777		0.0	0.0	2,777		0.0	0.0
		不明	723	0.0	0.0	738		0.0	0.0	1,461		0.0	0.0	1,461		0.0	0.0
		合計	8,502	0.0	0.0	7,086		0.0	0.0	15,588		0.0	0.0	15,588		0.0	0.0
		領域	1,797	0.0	0.0	1,771		0.0	0.0	3,568		0.0	0.0	3,568		0.0	0.0
口腔・咽頭	C00-C14	限局	75	0.0	0.0	55		0.0	0.0	130		0.0	0.0	130		0.0	0.0
		リ転	30	0.0	0.0	8		0.0	0.0	38		0.0	0.0	38		0.0	0.0
		隣接	88	0.0	0.0	46		0.0	0.0	134		0.0	0.0	134		0.0	0.0
		遠隔	11	0.0	0.0	3		0.0	0.0	14		0.0	0.0	14		0.0	0.0
		不明	8	0.0	0.0	16		0.0	0.0	24		0.0	0.0	24		0.0	0.0
		合計	212	0.0	0.0	128		0.0	0.0	340		0.0	0.0	340		0.0	0.0
		領域	118	0.0	0.0	54		0.0	0.0	172		0.0	0.0	172		0.0	0.0
食道	C15	限局	144	0.0	0.0	52		0.0	0.0	196		0.0	0.0	196		0.0	0.0
		リ転	30	0.0	0.0	5		0.0	0.0	35		0.0	0.0	35		0.0	0.0
		隣接	67	0.0	0.0	16		0.0	0.0	83		0.0	0.0	83		0.0	0.0
		遠隔	63	0.0	0.0	16		0.0	0.0	79		0.0	0.0	79		0.0	0.0
		不明	14	0.0	0.0	8		0.0	0.0	22		0.0	0.0	22		0.0	0.0
		合計	318	0.0	0.0	97		0.0	0.0	415		0.0	0.0	415		0.0	0.0
		領域	97	0.0	0.0	21		0.0	0.0	118		0.0	0.0	118		0.0	0.0
胃	C16	限局	1,128	0.0	0.0	507		0.0	0.0	1,635		0.0	0.0	1,635		0.0	0.0
		リ転	135	0.0	0.0	68		0.0	0.0	203		0.0	0.0	203		0.0	0.0
		隣接	72	0.0	0.0	58		0.0	0.0	130		0.0	0.0	130		0.0	0.0
		遠隔	209	0.0	0.0	103		0.0	0.0	312		0.0	0.0	312		0.0	0.0
		不明	64	0.0	0.0	70		0.0	0.0	134		0.0	0.0	134		0.0	0.0
		合計	1,608	0.0	0.0	806		0.0	0.0	2,414		0.0	0.0	2,414		0.0	0.0
		領域	207	0.0	0.0	126		0.0	0.0	333		0.0	0.0	333		0.0	0.0
大腸（結腸・直腸）	C18-C20	限局	723	0.0	0.0	503		0.0	0.0	1,226		0.0	0.0	1,226		0.0	0.0
		リ転	243	0.0	0.0	198		0.0	0.0	441		0.0	0.0	441		0.0	0.0
		隣接	107	0.0	0.0	90		0.0	0.0	197		0.0	0.0	197		0.0	0.0
		遠隔	234	0.0	0.0	214		0.0	0.0	448		0.0	0.0	448		0.0	0.0
		不明	74	0.0	0.0	72		0.0	0.0	146		0.0	0.0	146		0.0	0.0
		合計	1,381	0.0	0.0	1,077		0.0	0.0	2,458		0.0	0.0	2,458		0.0	0.0
		領域	350	0.0	0.0	288		0.0	0.0	638		0.0	0.0	638		0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率（%）：主要部位別、性別、進展度・総合別

宮城県2018年

部位	ICD-10	進展度・総合	男				女				男女計			
			5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1
			限局	リ転			限局	リ転			限局	リ転		
結腸	C18	限局	468	0.0	0.0	380	0.0	848	0.0	0.0	0.0	0.0	0.0	0.0
		リ転	134	0.0	0.0	145	0.0	279	0.0	0.0	0.0	0.0	0.0	
		隣接	72	0.0	0.0	69	0.0	141	0.0	0.0	0.0	0.0	0.0	
		遠隔	138	0.0	0.0	165	0.0	303	0.0	0.0	0.0	0.0	0.0	
		不明	53	0.0	0.0	59	0.0	112	0.0	0.0	0.0	0.0	0.0	
		合計	865	0.0	0.0	818	0.0	1,683	0.0	0.0	0.0	0.0	0.0	
		領域	206	0.0	0.0	214	0.0	420	0.0	0.0	0.0	0.0	0.0	
直腸	C19-C20	限局	255	0.0	0.0	123	0.0	378	0.0	0.0	0.0	0.0	0.0	
		リ転	109	0.0	0.0	53	0.0	162	0.0	0.0	0.0	0.0	0.0	
		隣接	35	0.0	0.0	21	0.0	56	0.0	0.0	0.0	0.0	0.0	
		遠隔	96	0.0	0.0	49	0.0	145	0.0	0.0	0.0	0.0	0.0	
		不明	21	0.0	0.0	13	0.0	34	0.0	0.0	0.0	0.0	0.0	
		合計	516	0.0	0.0	259	0.0	775	0.0	0.0	0.0	0.0	0.0	
		領域	144	0.0	0.0	74	0.0	218	0.0	0.0	0.0	0.0	0.0	
肝および肝内胆管	C22	限局	211	0.0	0.0	90	0.0	301	0.0	0.0	0.0	0.0	0.0	
		リ転	11	0.0	0.0	9	0.0	20	0.0	0.0	0.0	0.0	0.0	
		隣接	27	0.0	0.0	11	0.0	38	0.0	0.0	0.0	0.0	0.0	
		遠隔	54	0.0	0.0	22	0.0	76	0.0	0.0	0.0	0.0	0.0	
		不明	45	0.0	0.0	26	0.0	71	0.0	0.0	0.0	0.0	0.0	
		合計	348	0.0	0.0	158	0.0	506	0.0	0.0	0.0	0.0	0.0	
		領域	38	0.0	0.0	20	0.0	58	0.0	0.0	0.0	0.0	0.0	
胆のう・胆管	C23-C24	限局	42	0.0	0.0	30	0.0	72	0.0	0.0	0.0	0.0	0.0	
		リ転	11	0.0	0.0	6	0.0	17	0.0	0.0	0.0	0.0	0.0	
		隣接	71	0.0	0.0	50	0.0	121	0.0	0.0	0.0	0.0	0.0	
		遠隔	35	0.0	0.0	42	0.0	77	0.0	0.0	0.0	0.0	0.0	
		不明	35	0.0	0.0	30	0.0	65	0.0	0.0	0.0	0.0	0.0	
		合計	194	0.0	0.0	158	0.0	352	0.0	0.0	0.0	0.0	0.0	
		領域	82	0.0	0.0	56	0.0	138	0.0	0.0	0.0	0.0	0.0	
膵臓	C25	限局	70	0.0	0.0	72	0.0	142	0.0	0.0	0.0	0.0	0.0	
		リ転	28	0.0	0.0	28	0.0	56	0.0	0.0	0.0	0.0	0.0	
		隣接	61	0.0	0.0	67	0.0	128	0.0	0.0	0.0	0.0	0.0	
		遠隔	150	0.0	0.0	156	0.0	306	0.0	0.0	0.0	0.0	0.0	
		不明	24	0.0	0.0	29	0.0	53	0.0	0.0	0.0	0.0	0.0	
		合計	333	0.0	0.0	352	0.0	685	0.0	0.0	0.0	0.0	0.0	
		領域	89	0.0	0.0	95	0.0	184	0.0	0.0	0.0	0.0	0.0	

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率（％）：主要部位別、性別、進展度・総合別

宮城県2018年

部位	ICD-10	進展度・総合				男				女				男女計			
		5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1	5年相対生存率		標準誤差	集計対象数 *1
		限局	リンパ節転移・隣接臓器浸潤・遠隔			限局	リンパ節転移・隣接臓器浸潤・遠隔			限局	リンパ節転移・隣接臓器浸潤・遠隔			限局	リンパ節転移・隣接臓器浸潤・遠隔		
喉頭	C32	限局		0.0	50	0.0	0.0	0.0	5	0.0	0.0	0.0	55	0.0	0.0	0.0	0.0
		リンパ節転移		0.0	9	0.0	0.0	0.0	2	0.0	0.0	0.0	11	0.0	0.0	0.0	0.0
		隣接		0.0	6	0.0	0.0	0.0	1	0.0	0.0	0.0	7	0.0	0.0	0.0	0.0
		遠隔		0.0	1	0.0	0.0	0.0	0	・	・	・	1	0.0	0.0	0.0	0.0
		不明		0.0	3	0.0	0.0	0.0	0	・	・	・	3	0.0	0.0	0.0	0.0
		合計		0.0	69	0.0	0.0	0.0	8	0.0	0.0	0.0	77	0.0	0.0	0.0	0.0
		領域		0.0	15	0.0	0.0	0.0	3	0.0	0.0	0.0	18	0.0	0.0	0.0	0.0
肺	C33-C34	限局		0.0	329	0.0	0.0	0.0	230	0.0	0.0	0.0	559	0.0	0.0	0.0	0.0
		リンパ節転移		0.0	115	0.0	0.0	0.0	57	0.0	0.0	0.0	172	0.0	0.0	0.0	0.0
		隣接		0.0	136	0.0	0.0	0.0	44	0.0	0.0	0.0	180	0.0	0.0	0.0	0.0
		遠隔		0.0	483	0.0	0.0	0.0	232	0.0	0.0	0.0	715	0.0	0.0	0.0	0.0
		不明		0.0	112	0.0	0.0	0.0	66	0.0	0.0	0.0	178	0.0	0.0	0.0	0.0
		合計		0.0	1,175	0.0	0.0	0.0	629	0.0	0.0	0.0	1,804	0.0	0.0	0.0	0.0
		領域		0.0	251	0.0	0.0	0.0	101	0.0	0.0	0.0	352	0.0	0.0	0.0	0.0
皮膚	C43-C44	限局		0.0	139	0.0	0.0	0.0	136	0.0	0.0	0.0	275	0.0	0.0	0.0	0.0
		リンパ節転移		0.0	3	0.0	0.0	0.0	4	0.0	0.0	0.0	7	0.0	0.0	0.0	0.0
		隣接		0.0	12	0.0	0.0	0.0	17	0.0	0.0	0.0	29	0.0	0.0	0.0	0.0
		遠隔		0.0	1	0.0	0.0	0.0	2	0.0	0.0	0.0	3	0.0	0.0	0.0	0.0
		不明		0.0	13	0.0	0.0	0.0	8	0.0	0.0	0.0	21	0.0	0.0	0.0	0.0
		合計		0.0	168	0.0	0.0	0.0	167	0.0	0.0	0.0	335	0.0	0.0	0.0	0.0
		領域		0.0	15	0.0	0.0	0.0	21	0.0	0.0	0.0	36	0.0	0.0	0.0	0.0
乳房	C50	限局		0.0	7	0.0	0.0	0.0	975	0.0	0.0	0.0	982	0.0	0.0	0.0	0.0
		リンパ節転移		0.0	2	0.0	0.0	0.0	384	0.0	0.0	0.0	386	0.0	0.0	0.0	0.0
		隣接		0.0	1	0.0	0.0	0.0	65	0.0	0.0	0.0	66	0.0	0.0	0.0	0.0
		遠隔		0.0	1	0.0	0.0	0.0	99	0.0	0.0	0.0	100	0.0	0.0	0.0	0.0
		不明		0.0	0	・	・	・	195	0.0	0.0	0.0	195	0.0	0.0	0.0	0.0
		合計		0.0	11	0.0	0.0	0.0	1,718	0.0	0.0	0.0	1,729	0.0	0.0	0.0	0.0
		領域		0.0	3	0.0	0.0	0.0	449	0.0	0.0	0.0	452	0.0	0.0	0.0	0.0
子宮	C53-C55	限局		-	-	-	-	-	230	0.0	0.0	0.0	230	0.0	0.0	0.0	0.0
		リンパ節転移		-	-	-	-	-	18	0.0	0.0	0.0	18	0.0	0.0	0.0	0.0
		隣接		-	-	-	-	-	107	0.0	0.0	0.0	107	0.0	0.0	0.0	0.0
		遠隔		-	-	-	-	-	43	0.0	0.0	0.0	43	0.0	0.0	0.0	0.0
		不明		-	-	-	-	-	28	0.0	0.0	0.0	28	0.0	0.0	0.0	0.0
		合計		-	-	-	-	-	426	0.0	0.0	0.0	426	0.0	0.0	0.0	0.0
		領域		-	-	-	-	-	125	0.0	0.0	0.0	125	0.0	0.0	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率（％）：主要部位別、性別、進展度・総合別

宮城県

2018年

部位	ICD-10	進展度・総合				男				女				男女計			
		5年相対生存率		標準誤差	5年相対生存率	5年相対生存率		標準誤差	5年相対生存率	5年相対生存率		標準誤差	5年相対生存率	5年相対生存率		標準誤差	5年相対生存率
		集計対象数	*1			集計対象数	*1			集計対象数	*1			集計対象数	*1		
子宮頸部	C53	限局	-	-	-	54	0.0	0.0	0.0	54	0.0	0.0	0.0	54	0.0	0.0	0.0
		リ転	-	-	-	8	0.0	0.0	0.0	8	0.0	0.0	0.0	8	0.0	0.0	0.0
		隣接	-	-	-	61	0.0	0.0	0.0	61	0.0	0.0	0.0	61	0.0	0.0	0.0
		遠隔	-	-	-	12	0.0	0.0	0.0	12	0.0	0.0	0.0	12	0.0	0.0	0.0
		不明	-	-	-	11	0.0	0.0	0.0	11	0.0	0.0	0.0	11	0.0	0.0	0.0
		合計	-	-	-	146	0.0	0.0	0.0	146	0.0	0.0	0.0	146	0.0	0.0	0.0
		領域	-	-	-	69	0.0	0.0	0.0	69	0.0	0.0	0.0	69	0.0	0.0	0.0
子宮体部	C54	限局	-	-	-	175	0.0	0.0	0.0	175	0.0	0.0	0.0	175	0.0	0.0	0.0
		リ転	-	-	-	10	0.0	0.0	0.0	10	0.0	0.0	0.0	10	0.0	0.0	0.0
		隣接	-	-	-	46	0.0	0.0	0.0	46	0.0	0.0	0.0	46	0.0	0.0	0.0
		遠隔	-	-	-	31	0.0	0.0	0.0	31	0.0	0.0	0.0	31	0.0	0.0	0.0
		不明	-	-	-	15	0.0	0.0	0.0	15	0.0	0.0	0.0	15	0.0	0.0	0.0
		合計	-	-	-	277	0.0	0.0	0.0	277	0.0	0.0	0.0	277	0.0	0.0	0.0
		領域	-	-	-	56	0.0	0.0	0.0	56	0.0	0.0	0.0	56	0.0	0.0	0.0
卵巣	C56	限局	-	-	-	40	0.0	0.0	0.0	40	0.0	0.0	0.0	40	0.0	0.0	0.0
		リ転	-	-	-	1	0.0	0.0	0.0	1	0.0	0.0	0.0	1	0.0	0.0	0.0
		隣接	-	-	-	94	0.0	0.0	0.0	94	0.0	0.0	0.0	94	0.0	0.0	0.0
		遠隔	-	-	-	41	0.0	0.0	0.0	41	0.0	0.0	0.0	41	0.0	0.0	0.0
		不明	-	-	-	16	0.0	0.0	0.0	16	0.0	0.0	0.0	16	0.0	0.0	0.0
		合計	-	-	-	192	0.0	0.0	0.0	192	0.0	0.0	0.0	192	0.0	0.0	0.0
		領域	-	-	-	95	0.0	0.0	0.0	95	0.0	0.0	0.0	95	0.0	0.0	0.0
前立腺	C61	限局	709	0.0	0.0	-	-	-	-	-	-	-	-	709	0.0	0.0	0.0
		リ転	17	0.0	0.0	-	-	-	-	-	-	-	-	17	0.0	0.0	0.0
		隣接	242	0.0	0.0	-	-	-	-	-	-	-	-	242	0.0	0.0	0.0
		遠隔	154	0.0	0.0	-	-	-	-	-	-	-	-	154	0.0	0.0	0.0
		不明	179	0.0	0.0	-	-	-	-	-	-	-	-	179	0.0	0.0	0.0
		合計	1,301	0.0	0.0	-	-	-	-	-	-	-	-	1,301	0.0	0.0	0.0
		領域	259	0.0	0.0	-	-	-	-	-	-	-	-	259	0.0	0.0	0.0
膀胱	C67	限局	154	0.0	0.0	54	0.0	0.0	0.0	54	0.0	0.0	0.0	208	0.0	0.0	0.0
		リ転	9	0.0	0.0	5	0.0	0.0	0.0	5	0.0	0.0	0.0	14	0.0	0.0	0.0
		隣接	20	0.0	0.0	17	0.0	0.0	0.0	17	0.0	0.0	0.0	37	0.0	0.0	0.0
		遠隔	12	0.0	0.0	1	0.0	0.0	0.0	1	0.0	0.0	0.0	13	0.0	0.0	0.0
		不明	25	0.0	0.0	15	0.0	0.0	0.0	15	0.0	0.0	0.0	40	0.0	0.0	0.0
		合計	221	0.0	0.0	92	0.0	0.0	0.0	92	0.0	0.0	0.0	313	0.0	0.0	0.0
		領域	29	0.0	0.0	22	0.0	0.0	0.0	22	0.0	0.0	0.0	51	0.0	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率（％）：主要部位別、性別、進展度・総合別

宮城県

2018年

部位	ICD-10	進展度・総合	男				女				男女計	
			集計対象数 *1		標準誤差		集計対象数 *1		標準誤差		集計対象数 *1	
			5年相対生存率	標準誤差	5年相対生存率	標準誤差	5年相対生存率	標準誤差	5年相対生存率	標準誤差	5年相対生存率	標準誤差
腎・尿路（膀胱除く）	C64-C66 C68	限局	165	0.0	0.0	0.0	84	0.0	0.0	0.0	249	0.0
		リ転	9	0.0	0.0	0.0	4	0.0	0.0	0.0	13	0.0
		隣接	48	0.0	0.0	0.0	27	0.0	0.0	0.0	75	0.0
		遠隔	38	0.0	0.0	0.0	28	0.0	0.0	0.0	66	0.0
		不明	19	0.0	0.0	0.0	22	0.0	0.0	0.0	41	0.0
		合計	279	0.0	0.0	0.0	165	0.0	0.0	0.0	444	0.0
		領域	57	0.0	0.0	0.0	31	0.0	0.0	0.0	88	0.0
脳・中枢神経系	C70-C72	限局	25	0.0	0.0	0.0	32	0.0	0.0	0.0	57	0.0
		リ転	0	.	.	.	0	.	.	.	0	.
		隣接	10	0.0	0.0	0.0	12	0.0	0.0	0.0	22	0.0
		遠隔	6	0.0	0.0	0.0	2	0.0	0.0	0.0	8	0.0
		不明	6	0.0	0.0	0.0	5	0.0	0.0	0.0	11	0.0
		合計	47	0.0	0.0	0.0	51	0.0	0.0	0.0	98	0.0
		領域	10	0.0	0.0	0.0	12	0.0	0.0	0.0	22	0.0
甲状腺	C73	限局	18	0.0	0.0	0.0	52	0.0	0.0	0.0	70	0.0
		リ転	17	0.0	0.0	0.0	50	0.0	0.0	0.0	67	0.0
		隣接	19	0.0	0.0	0.0	59	0.0	0.0	0.0	78	0.0
		遠隔	4	0.0	0.0	0.0	12	0.0	0.0	0.0	16	0.0
		不明	8	0.0	0.0	0.0	21	0.0	0.0	0.0	29	0.0
		合計	66	0.0	0.0	0.0	194	0.0	0.0	0.0	260	0.0
		領域	36	0.0	0.0	0.0	109	0.0	0.0	0.0	145	0.0
悪性リンパ腫	C81-C85 C96	限局	81	0.0	0.0	0.0	57	0.0	0.0	0.0	138	0.0
		リ転	1	0.0	0.0	0.0	0	.	.	.	1	0.0
		隣接	34	0.0	0.0	0.0	41	0.0	0.0	0.0	75	0.0
		遠隔	139	0.0	0.0	0.0	86	0.0	0.0	0.0	225	0.0
		不明	33	0.0	0.0	0.0	33	0.0	0.0	0.0	66	0.0
		合計	288	0.0	0.0	0.0	217	0.0	0.0	0.0	505	0.0
		領域	35	0.0	0.0	0.0	41	0.0	0.0	0.0	76	0.0
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-	-
		リ転	-	-	-	-	-	-	-	-	-	-
		隣接	-	-	-	-	-	-	-	-	-	-
		遠隔	-	-	-	-	-	-	-	-	-	-
		不明	-	-	-	-	-	-	-	-	-	-
		合計	-	-	-	-	-	-	-	-	-	-
		領域	-	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率（％）： 主要部位別、性別、進展度・総合別 宮城県 2018年

部位	ICD-10	進展度・総合				男				女				男女計			
		集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差	集計対象数	*1	5年相対生存率	標準誤差
白血病	C91-C95	限局	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		リ転	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		隣接	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		遠隔	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		合計	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		領域	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く
 リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤